


Table of contents

Line plan for **AONIC 2**
Line lengths for **AONIC 2 - XXXS**
Full Line lengths for **AONIC 2 - XXXS**
Line lengths for **AONIC 2 - XXS**
Full Line lengths for **AONIC 2 - XXS**
Line lengths for **AONIC 2 - XS**
Full Line lengths for **AONIC 2 - XS**
Line lengths for **AONIC 2 - S**
Full Line lengths for **AONIC 2 - S**
Line lengths for **AONIC 2 - M**
Full Line lengths for **AONIC 2 - M**
Line lengths for **AONIC 2 - L**
Full Line lengths for **AONIC 2 - L**



Line lengths for AONIC₂ - XXXS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL160-RD	377.3
A2	PPSL160-RD	380.9
A3	PPSL160-RD	304.2
AG1	ED8kU-90DD-RD	202.8
AG2	ED8kU-90DD-RD	199.4
AG3	ED8kU-90DD-RD	193.3
AG4	ED8kU-90DD-RD	191.5
AG5	ED8kU-90DD-RD	263.9
AG6	ED8kU-90DD-RD	254.3
AG7	ED8kU-90DD-RD	245.5
B1	PPSL160-YW	368.8
B2	PPSL160-YW	374
B3	PPSL160-YW	296.2
BG1	ED8kU-90DD-RD	201.3
BG2	ED8kU-90DD-RD	198.8
BG3	ED8kU-90DD-RD	191.5
BG4	ED8kU-90DD-RD	189
BG5	ED8kU-90DD-RD	263.7
BG6	ED8kU-90DD-RD	256.2
BG7	ED8kU-90DD-RD	248.9
C1	TSL140-BE	388.3
C2	TSL140-BE	392.5
C3	TSL140-BE	424.7
CM1	ED8kU-50DD-RD	139.2
CM2	ED8kU-50DD-RD	136.5
CM3	ED8kU-50DD-RD	131.8
CM4	ED8kU-50DD-RD	133.5
CG1	ED8kU-50DD-RD	54.5
CG2	ED8kU-50DD-RD	53.4
CG3	ED8kU-50DD-RD	51.3
CG4	ED8kU-50DD-RD	48.5
CG5	ED8kU-50DD-RD	138.6
CG6	ED8kU-50DD-RD	132.3
DG1	ED8kU-50DD-RD	63.6
DG2	ED8kU-50DD-RD	62.3
DG3	ED8kU-50DD-RD	59.8
DG4	ED8kU-50DD-RD	56.2
F1	DSL70-OE	331.6
F2	DSL70-OE	317.2

F3	DSL70-OE	326.9
FM1	DSL70-OE	114
FM2	DSL70-OE	95.1
FM3	DSL70-OE	93.5
FM4	DSL70-OE	94.5
FM5	DSL70-OE	67.4
FM6	DSL70-OE	56.4
FG1	DSL70-OE	70
FG10	DSL70-OE	42.1
FG11	DSL70-OE	38.8
FG12	DSL70-OE	32
FG2	DSL70-OE	55.3
FG3	DSL70-OE	62.6
FG4	DSL70-OE	61.4
FG5	DSL70-OE	60.6
FG6	DSL70-OE	53.4
FG7	DSL70-OE	51.5
FG8	DSL70-OE	55.6
FG9	DSL70-OE	49.5
F	ED7850-2400	129.9
SG1	DSL70-GN	100.8
SG2	DSL70-GN	97.4
SG3	DSL70-GN	99.3
S	TSL140-GN	400.5
SAG1	DSL70-GN	127
SBG1	DSL70-GN	118.7
SCG1	DSL70-GN	119.8

Full Line lengths for AONIC₂ - XXXS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
AG1R`	6283
AG2R`	6251
AG3R`	6225
AG4R`	6208
AG5R`	6162
AG6R`	6068
AG7R`	5980
SAG1R`	5750
SBG1R`	5669
SCG1R`	5681
SG1R`	5492
SG2R`	5458
SG3R`	5478
BG1R`	6184
BG2R`	6160
BG3R`	6138
BG4R`	6114
BG5R`	6081
BG6R`	6007
BG7R`	5936
CG1R`	6297
DG1R`	6389
CG2R`	6260
DG2R`	6351
CG3R`	6233
DG3R`	6320
CG4R`	6223
DG4R`	6302
CG5R`	6116
CG6R`	6055
FG1R`	6447
FG2R`	6300
FG3R`	6184
FG4R`	6174
FG5R`	6005
FG6R`	5934
FG7R`	5925
FG8R`	5967
FG9R`	5731

FG10R`	5658
FG11R`	5515
FG12R`	5448
`	0

Line lengths for AONIC² - XXS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL160-RD	402.3
A2	PPSL160-RD	406.4
A3	PPSL160-RD	325.3
AG1	ED8kU-90DD-RD	215
AG2	ED8kU-90DD-RD	211.5
AG3	ED8kU-90DD-RD	204.9
AG4	ED8kU-90DD-RD	203.1
AG5	ED8kU-90DD-RD	279.6
AG6	ED8kU-90DD-RD	269.5
AG7	ED8kU-90DD-RD	260.1
B1	PPSL160-YW	393.8
B2	PPSL160-YW	399.5
B3	PPSL160-YW	317.3
BG1	ED8kU-90DD-RD	213.4
BG2	ED8kU-90DD-RD	210.9
BG3	ED8kU-90DD-RD	203
BG4	ED8kU-90DD-RD	200.4
BG5	ED8kU-90DD-RD	279.5
BG6	ED8kU-90DD-RD	271.4
BG7	ED8kU-90DD-RD	263.5
C1	TSL140-BE	414.2
C2	TSL140-BE	418.7
C3	TSL140-BE	453.7
CM1	ED8kU-50DD-RD	147.5
CM2	ED8kU-50DD-RD	144.9
CM3	ED8kU-50DD-RD	139.7
CM4	ED8kU-50DD-RD	141.7
CG1	ED8kU-50DD-RD	57.7
CG2	ED8kU-50DD-RD	56.5
CG3	ED8kU-50DD-RD	54.3
CG4	ED8kU-50DD-RD	51.3
CG5	ED8kU-50DD-RD	146.8
CG6	ED8kU-50DD-RD	140.1
DG1	ED8kU-50DD-RD	67.3
DG2	ED8kU-50DD-RD	66
DG3	ED8kU-50DD-RD	63.3
DG4	ED8kU-50DD-RD	59.5
F1	DSL70-OE	350.6
F2	DSL70-OE	335.7

F3	DSL70-OE	346.6
FM1	DSL70-OE	120.8
FM2	DSL70-OE	101.4
FM3	DSL70-OE	101.3
FM4	DSL70-OE	100.3
FM5	DSL70-OE	70.9
FM6	DSL70-OE	59.3
FG1	DSL70-OE	74.2
FG10	DSL70-OE	44.6
FG11	DSL70-OE	41
FG12	DSL70-OE	33.9
FG2	DSL70-OE	58.6
FG3	DSL70-OE	66.3
FG4	DSL70-OE	65.1
FG5	DSL70-OE	64.2
FG6	DSL70-OE	56.7
FG7	DSL70-OE	54.5
FG8	DSL70-OE	59
FG9	DSL70-OE	52.4
F	ED7850-2400	139
SG1	DSL70-GN	105.8
SG2	DSL70-GN	102.1
SG3	DSL70-GN	104
S	TSL140-GN	428.3
SAG1	DSL70-GN	133.7
SBG1	DSL70-GN	124.9
SCG1	DSL70-GN	125.9

Full Line lengths for AONIC₂ - XXS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
AG1R`	6655
AG2R`	6622
AG3R`	6596
AG4R`	6580
AG5R`	6530
AG6R`	6430
AG7R`	6337
SAG1R`	6101
SBG1R`	6014
SCG1R`	6025
SG1R`	5824
SG2R`	5789
SG3R`	5808
BG1R`	6554
BG2R`	6531
BG3R`	6508
BG4R`	6484
BG5R`	6448
BG6R`	6369
BG7R`	6292
CG1R`	6671
DG1R`	6770
CG2R`	6635
DG2R`	6731
CG3R`	6605
DG3R`	6696
CG4R`	6595
DG4R`	6679
CG5R`	6489
CG6R`	6423
FG1R`	6838
FG2R`	6683
FG3R`	6566
FG4R`	6555
FG5R`	6395
FG6R`	6321
FG7R`	6289
FG8R`	6334
FG9R`	6083

FG10R`	6006
FG11R`	5855
FG12R`	5784
`	0

Line lengths for AONIC² - XS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL160-RD	425.5
A2	PPSL160-RD	430
A3	PPSL160-RD	344.8
AG1	ED8kU-90DD-RD	226.1
AG2	ED8kU-90DD-RD	222.6
AG3	ED8kU-90DD-RD	215.6
AG4	ED8kU-90DD-RD	213.7
AG5	ED8kU-90DD-RD	294
AG6	ED8kU-90DD-RD	283.4
AG7	ED8kU-90DD-RD	273.4
B1	PPSL160-YW	416.9
B2	PPSL160-YW	423
B3	PPSL160-YW	336.4
BG1	ED8kU-90DD-RD	224.5
BG2	ED8kU-90DD-RD	221.9
BG3	ED8kU-90DD-RD	213.5
BG4	ED8kU-90DD-RD	210.8
BG5	ED8kU-90DD-RD	293.8
BG6	ED8kU-90DD-RD	285.3
BG7	ED8kU-90DD-RD	276.8
C1	TSL140-BE	438
C2	TSL140-BE	442.9
C3	TSL140-BE	479.8
CM1	ED8kU-50DD-RD	155.2
CM2	ED8kU-50DD-RD	152.6
CM3	ED8kU-50DD-RD	147
CM4	ED8kU-50DD-RD	149.1
CG1	ED8kU-50DD-RD	60.6
CG2	ED8kU-50DD-RD	59.4
CG3	ED8kU-50DD-RD	57.1
CG4	ED8kU-50DD-RD	53.9
CG5	ED8kU-50DD-RD	154.4
CG6	ED8kU-50DD-RD	147.3
DG1	ED8kU-50DD-RD	70.8
DG2	ED8kU-50DD-RD	69.3
DG3	ED8kU-50DD-RD	66.5
DG4	ED8kU-50DD-RD	62.5
F1	DSL70-OE	368
F2	DSL70-OE	352.6

F3	DSL70-OE	364.5
FM1	DSL70-OE	127
FM2	DSL70-OE	106.8
FM3	DSL70-OE	106.5
FM4	DSL70-OE	105.5
FM5	DSL70-OE	74.2
FM6	DSL70-OE	62
FG1	DSL70-OE	78.1
FG10	DSL70-OE	46.9
FG11	DSL70-OE	43.1
FG12	DSL70-OE	35.6
FG2	DSL70-OE	61.7
FG3	DSL70-OE	69.7
FG4	DSL70-OE	68.5
FG5	DSL70-OE	67.6
FG6	DSL70-OE	59.6
FG7	DSL70-OE	57.3
FG8	DSL70-OE	62
FG9	DSL70-OE	55.1
F	ED7850-2400	148.2
SG1	DSL70-GN	110.2
SG2	DSL70-GN	106.3
SG3	DSL70-GN	108.1
S	TSL140-GN	454.1
SAG1	DSL70-GN	139.8
SBG1	DSL70-GN	130.5
SCG1	DSL70-GN	131.4

Full Line lengths for AONIC2 - XS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
AG1R`	6998
AG2R`	6965
AG3R`	6938
AG4R`	6921
AG5R`	6869
AG6R`	6765
AG7R`	6666
SAG1R`	6415
SBG1R`	6323
SCG1R`	6333
SG1R`	6122
SG2R`	6084
SG3R`	6103
BG1R`	6896
BG2R`	6871
BG3R`	6848
BG4R`	6822
BG5R`	6783
BG6R`	6699
BG7R`	6616
CG1R`	7015
DG1R`	7118
CG2R`	6978
DG2R`	7078
CG3R`	6947
DG3R`	7042
CG4R`	6937
DG4R`	7025
CG5R`	6825
CG6R`	6755
FG1R`	7205
FG2R`	7042
FG3R`	6920
FG4R`	6908
FG5R`	6741
FG6R`	6662
FG7R`	6629
FG8R`	6677
FG9R`	6413

FG10R`	6332
FG11R`	6173
FG12R`	6099
`	0

Line lengths for AONIC2 - S

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL160-RD	449.8
A2	PPSL160-RD	453.3
A3	PPSL160-RD	363.1
AG1	ED8kU-90DD-RD	236.6
AG2	ED8kU-90DD-RD	232.4
AG3	ED8kU-90DD-RD	225.6
AG4	ED8kU-90DD-RD	223
AG5	ED8kU-90DD-RD	307.4
AG6	ED8kU-90DD-RD	295.6
AG7	ED8kU-90DD-RD	284.4
B1	PPSL160-YW	443.3
B2	PPSL160-YW	447.4
B3	PPSL160-YW	354.6
BG1	ED8kU-90DD-RD	235.1
BG2	ED8kU-90DD-RD	231.3
BG3	ED8kU-90DD-RD	223.7
BG4	ED8kU-90DD-RD	219.6
BG5	ED8kU-90DD-RD	307.4
BG6	ED8kU-90DD-RD	297.2
BG7	ED8kU-90DD-RD	287.1
C1	TSL140-BE	462.2
C2	TSL140-BE	466.1
C3	TSL140-BE	503.5
CM1	ED8kU-50DD-RD	162.3
CM2	ED8kU-50DD-RD	159
CM3	ED8kU-50DD-RD	153.8
CM4	ED8kU-50DD-RD	155.4
CG1	ED8kU-50DD-RD	63.5
CG2	ED8kU-50DD-RD	62.2
CG3	ED8kU-50DD-RD	59.7
CG4	ED8kU-50DD-RD	56.4
CG5	ED8kU-50DD-RD	161.5
CG6	ED8kU-50DD-RD	153.4
DG1	ED8kU-50DD-RD	74
DG2	ED8kU-50DD-RD	72.4
DG3	ED8kU-50DD-RD	69.5
DG4	ED8kU-50DD-RD	65.3
F1	DSL70-OE	385.3
F2	DSL70-OE	367.5

F3	DSL70-OE	379.2
FM1	DSL70-OE	133.1
FM2	DSL70-OE	111
FM3	DSL70-OE	111.7
FM4	DSL70-OE	109.7
FM5	DSL70-OE	77.2
FM6	DSL70-OE	63.9
FG1	DSL70-OE	81.5
FG10	DSL70-OE	48.7
FG11	DSL70-OE	45
FG12	DSL70-OE	37
FG2	DSL70-OE	64.2
FG3	DSL70-OE	73
FG4	DSL70-OE	71.5
FG5	DSL70-OE	70.6
FG6	DSL70-OE	62.1
FG7	DSL70-OE	60.1
FG8	DSL70-OE	64.7
FG9	DSL70-OE	57.5
F	ED7850-2400	157.1
SG1	DSL70-GN	111.4
SG2	DSL70-GN	105.5
SG3	DSL70-GN	106
S	TSL140-GN	480.4
SAG1	DSL70-GN	143.7
SBG1	DSL70-GN	131.9
SCG1	DSL70-GN	131

Full Line lengths for AONIC2 - S

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
AG1R`	7345
AG2R`	7305
AG3R`	7271
AG4R`	7246
AG5R`	7185
AG6R`	7068
AG7R`	6958
SAG1R`	6716
SBG1R`	6598
SCG1R`	6591
SG1R`	6395
SG2R`	6337
SG3R`	6343
BG1R`	7266
BG2R`	7229
BG3R`	7192
BG4R`	7153
BG5R`	7100
BG6R`	6999
BG7R`	6900
CG1R`	7355
DG1R`	7462
CG2R`	7311
DG2R`	7415
CG3R`	7273
DG3R`	7372
CG4R`	7256
DG4R`	7347
CG5R`	7133
CG6R`	7053
FG1R`	7562
FG2R`	7390
FG3R`	7257
FG4R`	7242
FG5R`	7061
FG6R`	6977
FG7R`	6937
FG8R`	6984
FG9R`	6704

FG10R`	6617
FG11R`	6446
FG12R`	6368
`	0

Line lengths for AONIC₂ - M

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL160-RD	467.2
A2	PPSL160-RD	471.9
A3	PPSL160-RD	378.9
AG1	ED8kU-90DD-RD	246.6
AG2	ED8kU-90DD-RD	242.7
AG3	ED8kU-90DD-RD	235.1
AG4	ED8kU-90DD-RD	232.8
AG5	ED8kU-90DD-RD	320
AG6	ED8kU-90DD-RD	308
AG7	ED8kU-90DD-RD	296.5
B1	PPSL160-YW	459.5
B2	PPSL160-YW	465.2
B3	PPSL160-YW	370.1
BG1	ED8kU-90DD-RD	244.9
BG2	ED8kU-90DD-RD	241.7
BG3	ED8kU-90DD-RD	233
BG4	ED8kU-90DD-RD	229.4
BG5	ED8kU-90DD-RD	319.9
BG6	ED8kU-90DD-RD	309.7
BG7	ED8kU-90DD-RD	299.4
C1	TSL140-BE	480.5
C2	TSL140-BE	485.6
C3	TSL140-BE	525.4
CM1	ED8kU-50DD-RD	169.4
CM2	ED8kU-50DD-RD	166.5
CM3	ED8kU-50DD-RD	160.5
CM4	ED8kU-50DD-RD	162.6
CG1	ED8kU-50DD-RD	65.8
CG2	ED8kU-50DD-RD	64.5
CG3	ED8kU-50DD-RD	62
CG4	ED8kU-50DD-RD	58.5
CG5	ED8kU-50DD-RD	168.1
CG6	ED8kU-50DD-RD	160
DG1	ED8kU-50DD-RD	76.8
DG2	ED8kU-50DD-RD	75.2
DG3	ED8kU-50DD-RD	72.2
DG4	ED8kU-50DD-RD	67.8
F1	DSL70-OE	398.7
F2	DSL70-OE	381.5

F3	DSL70-OE	395.8
FM1	DSL70-OE	138.6
FM2	DSL70-OE	116.2
FM3	DSL70-OE	116.1
FM4	DSL70-OE	114.7
FM5	DSL70-OE	78.8
FM6	DSL70-OE	65.4
FG1	DSL70-OE	85.1
FG10	DSL70-OE	50.9
FG11	DSL70-OE	46.7
FG12	DSL70-OE	38.6
FG2	DSL70-OE	67.2
FG3	DSL70-OE	76
FG4	DSL70-OE	74.6
FG5	DSL70-OE	73.6
FG6	DSL70-OE	64.9
FG7	DSL70-OE	62.5
FG8	DSL70-OE	67.4
FG9	DSL70-OE	59.8
F	ED7850-2400	164.9
SG1	DSL70-GN	118.4
SG2	DSL70-GN	115.3
SG3	DSL70-GN	117.9
S	TSL140-GN	495.1
SAG1	DSL70-GN	150.4
SBG1	DSL70-GN	141.7
SCG1	DSL70-GN	143.4

Full Line lengths for AONIC2 - M

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
AG1R`	7620
AG2R`	7583
AG3R`	7552
AG4R`	7530
AG5R`	7470
AG6R`	7352
AG7R`	7238
SAG1R`	6931
SBG1R`	6844
SCG1R`	6862
SG1R`	6613
SG2R`	6584
SG3R`	6610
BG1R`	7527
BG2R`	7496
BG3R`	7464
BG4R`	7429
BG5R`	7380
BG6R`	7279
BG7R`	7179
CG1R`	7634
DG1R`	7745
CG2R`	7593
DG2R`	7701
CG3R`	7557
DG3R`	7660
CG4R`	7544
DG4R`	7639
CG5R`	7419
CG6R`	7338
FG1R`	7864
FG2R`	7686
FG3R`	7551
FG4R`	7538
FG5R`	7353
FG6R`	7267
FG7R`	7229
FG8R`	7280
FG9R`	6987

FG10R`	6899
FG11R`	6723
FG12R`	6643
`	0

Line lengths for AONIC₂ - L

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL160-RD	498.7
A2	PPSL160-RD	503.4
A3	PPSL160-RD	404.8
AG1	ED8kU-90DD-RD	260.1
AG2	ED8kU-90DD-RD	256
AG3	ED8kU-90DD-RD	248.1
AG4	ED8kU-90DD-RD	245.5
AG5	ED8kU-90DD-RD	337.9
AG6	ED8kU-90DD-RD	325
AG7	ED8kU-90DD-RD	312.8
B1	PPSL160-YW	491.2
B2	PPSL160-YW	496.7
B3	PPSL160-YW	395.6
BG1	ED8kU-90DD-RD	258.4
BG2	ED8kU-90DD-RD	254.8
BG3	ED8kU-90DD-RD	245.9
BG4	ED8kU-90DD-RD	241.8
BG5	ED8kU-90DD-RD	337.8
BG6	ED8kU-90DD-RD	326.7
BG7	ED8kU-90DD-RD	315.7
C1	TSL140-BE	512.4
C2	TSL140-BE	517.6
C3	TSL140-BE	559.2
CM1	ED8kU-50DD-RD	178.5
CM2	ED8kU-50DD-RD	175.4
CM3	ED8kU-50DD-RD	169.2
CM4	ED8kU-50DD-RD	171.2
CG1	ED8kU-50DD-RD	69.6
CG2	ED8kU-50DD-RD	68.2
CG3	ED8kU-50DD-RD	65.5
CG4	ED8kU-50DD-RD	61.8
CG5	ED8kU-50DD-RD	177.5
CG6	ED8kU-50DD-RD	168.7
DG1	ED8kU-50DD-RD	81.2
DG2	ED8kU-50DD-RD	79.5
DG3	ED8kU-50DD-RD	76.3
DG4	ED8kU-50DD-RD	71.7
F1	DSL70-OE	422
F2	DSL70-OE	403.3

F3	DSL70-OE	417.6
FM1	DSL70-OE	146.3
FM2	DSL70-OE	122.4
FM3	DSL70-OE	122.6
FM4	DSL70-OE	120.9
FM5	DSL70-OE	83.9
FM6	DSL70-OE	69.6
FG1	DSL70-OE	89.7
FG10	DSL70-OE	53.7
FG11	DSL70-OE	49.3
FG12	DSL70-OE	40.7
FG2	DSL70-OE	70.7
FG3	DSL70-OE	80.2
FG4	DSL70-OE	78.7
FG5	DSL70-OE	77.6
FG6	DSL70-OE	68.4
FG7	DSL70-OE	66
FG8	DSL70-OE	71.1
FG9	DSL70-OE	63.1
F	ED7850-2400	176.9
SG1	DSL70-GN	125.8
SG2	DSL70-GN	122.8
SG3	DSL70-GN	125.6
S	TSL140-GN	526
SAG1	DSL70-GN	159.5
SBG1	DSL70-GN	150.5
SCG1	DSL70-GN	152.5

Full Line lengths for AONIC2 - L

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
AG1R`	8070.7209956299
AG2R`	8030.8287649898
AG3R`	7996.7995652871
AG4R`	7972.4424242106
AG5R`	7907.9070040608
AG6R`	7781.1550843874
AG7R`	7660.6941751315
SAG1R`	7330.5107387847
SBG1R`	7241.6255236277
SCG1R`	7262.5609894773
SG1R`	6996.0378713549
SG2R`	6967.3846402242
SG3R`	6996.7256899094
BG1R`	7978.2286401065
BG2R`	7944.2061733066
BG3R`	7908.7730048383
BG4R`	7869.7463630012
BG5R`	7814.4728081062
BG6R`	7705.4587038121
BG7R`	7597.1791079375
CG1R`	8082.8460592746
DG1R`	8199.7860832784
CG2R`	8039.0406885522
DG2R`	8152.9095385993
CG3R`	8000.2258156786
DG3R`	8108.8798391883
CG4R`	7984.8710839354
DG4R`	8084.3753333013
CG5R`	7850.7646610963
CG6R`	7764.0629975565
FG1R`	8341.3565636553
FG2R`	8152.7137814606
FG3R`	8008.8278357634
FG4R`	7994.1597651184
FG5R`	7798.0625817433
FG6R`	7706.3602537491
FG7R`	7665.1480247254
FG8R`	7717.928856104
FG9R`	7409.7002257321

FG10R`	7315.737921041
FG11R`	7129.2018662595
FG12R`	7044.2582747673
`	0