




Table of contents

Line plan for **BANTAM**
Line lengths for **BANTAM** - 10
Full Line lengths for **BANTAM** - 10
Line lengths for **BANTAM** - 12
Full Line lengths for **BANTAM** - 12
Line lengths for **BANTAM** - 14
Full Line lengths for **BANTAM** - 14



Line lengths for BANTAM - 10

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	205.8
A2	PPSL191-RED	209.5
A3	PPSL191-RED	157.7
AM1	ED8kU-90DD-RED	101.3
AM2	ED8kU-90DD-RED	98.2
AM3	ED8kU-90DD-RED	94.1
AM4	ED8kU-90DD-RED	94.9
AM5	ED8kU-70DD	148.1
AM6	ED8kU-70DD	147.4
AM7	ED8kU-70DD	148.7
AG01	ED8kU-50DD-RED	48.2
AG02	ED8kU-50DD-RED	43.5
AG03	ED8kU-50DD-RED	45
AG04	ED8kU-50DD-RED	46.6
AG05	ED8kU-50DD-RED	45.9
AG06	ED8kU-50DD-RED	42.6
AG07	ED8kU-50DD-RED	41.3
AG08	ED8kU-50DD-RED	43.6
AG09	ED8kU-50DD-RED	41.6
AG10	ED8kU-50DD-RED	38.7
AG11	ED8kU-50DD-RED	37.3
AG12	ED8kU-50DD-RED	36.1
AG13	ED8kU-50DD-RED	33
AG14	ED8kU-50DD-RED	31.9
B1	PPSL191-YW	202.4
B2	PPSL191-YW	207.1
B3	PPSL191-YW	156.4
BM1	ED8kU-90DD-RED	99.6
BM2	ED8kU-90DD-RED	97.1
BM3	ED8kU-90DD-RED	92.6
BM4	ED8kU-90DD-RED	94.1
BM5	ED8kU-70DD	145.7
BM6	ED8kU-70DD	146
BM7	ED8kU-70DD	148.3
BG01	ED8kU-50DD-RED	47.6
BG02	ED8kU-50DD-RED	43
BG03	ED8kU-50DD-RED	44.2
BG04	ED8kU-50DD-RED	46.2
BG05	ED8kU-50DD-RED	45.1

BG06	ED8kU-50DD-RED	42.3
BG07	ED8kU-50DD-RED	40.7
BG08	ED8kU-50DD-RED	43.4
BG09	ED8kU-50DD-RED	40.8
BG10	ED8kU-50DD-RED	38.5
BG11	ED8kU-50DD-RED	36.6
BG12	ED8kU-50DD-RED	35.9
BG13	ED8kU-50DD-RED	32.4
BG14	ED8kU-50DD-RED	31.5
C1	TSL140BE	207.8
C2	TSL140BE	212
C3	TSL140BE	151.4
CM1	ED8kU-90DD-RED	101.6
CM2	ED8kU-90DD-RED	98.9
CM3	ED8kU-90DD-RED	94.8
CM4	ED8kU-90DD-RED	95.8
CM5	ED8kU-70DD	155.9
CM6	ED8kU-70DD	155.1
CM7	ED8kU-70DD	156.4
CG01	ED8kU-50DD-RED	48.3
CG02	ED8kU-50DD-RED	43.8
CG03	ED8kU-50DD-RED	45.1
CG04	ED8kU-50DD-RED	46.9
CG05	ED8kU-50DD-RED	46
CG06	ED8kU-50DD-RED	43.1
CG07	ED8kU-50DD-RED	41.6
CG08	ED8kU-50DD-RED	44.1
CG09	ED8kU-50DD-RED	41.7
CG10	ED8kU-50DD-RED	38.9
CG11	ED8kU-50DD-RED	37.6
CG12	ED8kU-50DD-RED	36.2
CG13	ED8kU-50DD-RED	33.5
CG14	ED8kU-50DD-RED	30.1
F1	Phoenix-ORG	129
F2	Phoenix-ORG	156.7
FM1	PPSLS_65ORG	86.8
FM2	PPSLS_65ORG	83.7
FM3	PPSLS_65ORG	57
FM4	PPSLS_65ORG	64.4
FG01	PPSLS_65ORG	61.3
FG02	PPSLS_65ORG	53.8
FG03	PPSLS_65ORG	52
FG04	PPSLS_65ORG	57.1

FG05	PPSLS_65ORG	52.5
FG06	PPSLS_65ORG	46.7
FG07	PPSLS_65ORG	38.4
FG08	PPSLS_65ORG	40.5
FF1	ED7850-2400	120
S1	DSL70-GRN	243.4
SM1	PPSLS_65GN	51.6
SM2	PPSLS_65GN	71.4
SG01	PPSLS_65GN	24.8
SG02	PPSLS_65GN	27.7
SG03	PPSLS_65GN	18.1
SG04	PPSLS_65GN	30.1
SAG1	PPSLS_65GN	85.3
SBG1	PPSLS_65GN	84.3

Full Line lengths for BANTAM - 10

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	3523
A2R`	3476
A3R`	3460
A4R`	3476
A5R`	3465
A6R`	3432
A7R`	3427
A8R`	3450
A9R`	3443.9329587897
A10R`	3414.9329587897
A11R`	3393.9329587897
A12R`	3381.9329587897
A13R`	3363.9329587897
A14R`	3352.9329587897
A15R`	3257
B1R`	3463
B2R`	3417
B3R`	3404
B4R`	3424
B5R`	3415
B6R`	3387
B7R`	3386
B8R`	3413
B9R`	3398.5838015129
B10R`	3375.5838015129
B11R`	3359.5838015129
B12R`	3352.5838015129
B13R`	3340.5838015129
B14R`	3331.5838015129
B15R`	3247
C1R`	3546.9329587897
C2R`	3501.9329587897
C3R`	3487.9329587897
C4R`	3505.9329587897
C5R`	3497.9329587897
C6R`	3468.9329587897
C7R`	3463.9329587897
C8R`	3488.9329587897
C9R`	3459.9427434797

C10R`	3431.9427434797
C11R`	3410.9427434797
C12R`	3396.9427434797
C13R`	3382.9427434797
C14R`	3348.9427434797
F1R`	3461
F2R`	3386
F3R`	3337
F4R`	3388
F5R`	3352
F6R`	3294
F7R`	3285
F8R`	3306
S4R`	3419
S3R`	3299
S2R`	3197
S1R`	3168
`	0
FF2	0

Line lengths for BANTAM - 12

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	239
A2	PPSL191-RED	243.7
A3	PPSL191-RED	186.8
AM1	ED8kU-90DD-RED	109.4
AM2	ED8kU-90DD-RED	106.9
AM3	ED8kU-90DD-RED	102
AM4	ED8kU-90DD-RED	102.9
AM5	ED8kU-70DD	161
AM6	ED8kU-70DD	159.6
AM7	ED8kU-70DD	160.4
AG01	ED8kU-50DD-RED	52.2
AG02	ED8kU-50DD-RED	47.4
AG03	ED8kU-50DD-RED	48.5
AG04	ED8kU-50DD-RED	50.6
AG05	ED8kU-50DD-RED	49.8
AG06	ED8kU-50DD-RED	46.2
AG07	ED8kU-50DD-RED	44.8
AG08	ED8kU-50DD-RED	47.2
AG09	ED8kU-50DD-RED	45.2
AG10	ED8kU-50DD-RED	41.8
AG11	ED8kU-50DD-RED	40.6
AG12	ED8kU-50DD-RED	38.9
AG13	ED8kU-50DD-RED	35.9
AG14	ED8kU-50DD-RED	34.5
B1	PPSL191-YW	236
B2	PPSL191-YW	241.1
B3	PPSL191-YW	184.7
BM1	ED8kU-90DD-RED	107.9
BM2	ED8kU-90DD-RED	105.4
BM3	ED8kU-90DD-RED	100.6
BM4	ED8kU-90DD-RED	101.8
BM5	ED8kU-70DD	158.5
BM6	ED8kU-70DD	157.9
BM7	ED8kU-70DD	159.5
BG01	ED8kU-50DD-RED	51.6
BG02	ED8kU-50DD-RED	46.8
BG03	ED8kU-50DD-RED	47.9
BG04	ED8kU-50DD-RED	50.1
BG05	ED8kU-50DD-RED	49

BG06	ED8kU-50DD-RED	45.7
BG07	ED8kU-50DD-RED	44.2
BG08	ED8kU-50DD-RED	47
BG09	ED8kU-50DD-RED	44.4
BG10	ED8kU-50DD-RED	41.4
BG11	ED8kU-50DD-RED	39.9
BG12	ED8kU-50DD-RED	38.6
BG13	ED8kU-50DD-RED	35.2
BG14	ED8kU-50DD-RED	33.8
C1	TSL140BE	241.2
C2	TSL140BE	246.1
C3	TSL140BE	179.7
CM1	ED8kU-90DD-RED	109.7
CM2	ED8kU-90DD-RED	107.3
CM3	ED8kU-90DD-RED	102.7
CM4	ED8kU-90DD-RED	103.6
CM5	ED8kU-70DD	169.2
CM6	ED8kU-70DD	167.5
CM7	ED8kU-70DD	168.3
CG01	ED8kU-50DD-RED	52.3
CG02	ED8kU-50DD-RED	47.6
CG03	ED8kU-50DD-RED	48.7
CG04	ED8kU-50DD-RED	50.9
CG05	ED8kU-50DD-RED	49.8
CG06	ED8kU-50DD-RED	46.5
CG07	ED8kU-50DD-RED	45.1
CG08	ED8kU-50DD-RED	47.7
CG09	ED8kU-50DD-RED	45.2
CG10	ED8kU-50DD-RED	41.8
CG11	ED8kU-50DD-RED	40.8
CG12	ED8kU-50DD-RED	38.9
CG13	ED8kU-50DD-RED	36.3
CG14	ED8kU-50DD-RED	32.3
F1	Phoenix-ORG	160.7
F2	Phoenix-ORG	187.5
FM1	PPSLS_65ORG	92.9
FM2	PPSLS_65ORG	91.6
FM3	PPSLS_65ORG	63.9
FM4	PPSLS_65ORG	67.4
FG01	PPSLS_65ORG	66.1
FG02	PPSLS_65ORG	58.7
FG03	PPSLS_65ORG	55.6
FG04	PPSLS_65ORG	61.9

FG05	PPSLS_65ORG	57.3
FG06	PPSLS_65ORG	49.2
FG07	PPSLS_65ORG	42.5
FG08	PPSLS_65ORG	43.3
FF1	ED7850-2400	120
S1	DSL70-GRN	277.6
SM1	PPSLS_65GN	54.8
SM2	PPSLS_65GN	76.7
SG01	PPSLS_65GN	27.1
SG02	PPSLS_65GN	30
SG03	PPSLS_65GN	19.7
SG04	PPSLS_65GN	32.7
SAG1	PPSLS_65GN	92.3
SBG1	PPSLS_65GN	90.8

Full Line lengths for BANTAM - 12

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	3976
A2R`	3928
A3R`	3914
A4R`	3935
A5R`	3925
A6R`	3889
A7R`	3884
A8R`	3908
A9R`	3899.9329587897
A10R`	3865.9329587897
A11R`	3839.9329587897
A12R`	3822.9329587897
A13R`	3800.9329587897
A14R`	3786.9329587897
A15R`	3669
B1R`	3922
B2R`	3874
B3R`	3860
B4R`	3882
B5R`	3874
B6R`	3841
B7R`	3838
B8R`	3866
B9R`	3845.5838015129
B10R`	3815.5838015129
B11R`	3794.5838015129
B12R`	3781.5838015129
B13R`	3763.5838015129
B14R`	3749.5838015129
B15R`	3654
C1R`	4001.9329587897
C2R`	3954.9329587897
C3R`	3941.9329587897
C4R`	3963.9329587897
C5R`	3955.9329587897
C6R`	3922.9329587897
C7R`	3917.9329587897
C8R`	3943.9329587897
C9R`	3910.9427434797

C10R`	3876.9427434797
C11R`	3849.9427434797
C12R`	3830.9427434797
C13R`	3812.9427434797
C14R`	3772.9427434797
F1R`	3887
F2R`	3813
F3R`	3769
F4R`	3832
F5R`	3777
F6R`	3696
F7R`	3664
F8R`	3672
S4R`	3838
S3R`	3706
S2R`	3595
S1R`	3562
`	0
FF2	0

Line lengths for BANTAM - 14

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	271.7
A2	PPSL191-RED	277
A3	PPSL191-RED	214.9
AM1	ED8kU-90DD-RED	118.2
AM2	ED8kU-90DD-RED	116
AM3	ED8kU-90DD-RED	110.4
AM4	ED8kU-90DD-RED	111.2
AM5	ED8kU-70DD	174.6
AM6	ED8kU-70DD	172.5
AM7	ED8kU-70DD	172.9
AG01	ED8kU-50DD-RED	56.4
AG02	ED8kU-50DD-RED	51.5
AG03	ED8kU-50DD-RED	52.4
AG04	ED8kU-50DD-RED	54.8
AG05	ED8kU-50DD-RED	53.9
AG06	ED8kU-50DD-RED	50
AG07	ED8kU-50DD-RED	48.5
AG08	ED8kU-50DD-RED	51.1
AG09	ED8kU-50DD-RED	49
AG10	ED8kU-50DD-RED	45
AG11	ED8kU-50DD-RED	44.1
AG12	ED8kU-50DD-RED	41.9
AG13	ED8kU-50DD-RED	38.9
AG14	ED8kU-50DD-RED	37.1
B1	PPSL191-YW	267.9
B2	PPSL191-YW	273.7
B3	PPSL191-YW	212.4
BM1	ED8kU-90DD-RED	116.5
BM2	ED8kU-90DD-RED	114.3
BM3	ED8kU-90DD-RED	108.9
BM4	ED8kU-90DD-RED	110
BM5	ED8kU-70DD	171.8
BM6	ED8kU-70DD	170.6
BM7	ED8kU-70DD	171.8
BG01	ED8kU-50DD-RED	55.7
BG02	ED8kU-50DD-RED	50.7
BG03	ED8kU-50DD-RED	51.7
BG04	ED8kU-50DD-RED	54.2
BG05	ED8kU-50DD-RED	53

BG06	ED8kU-50DD-RED	49.4
BG07	ED8kU-50DD-RED	47.8
BG08	ED8kU-50DD-RED	50.8
BG09	ED8kU-50DD-RED	48.1
BG10	ED8kU-50DD-RED	44.6
BG11	ED8kU-50DD-RED	43.3
BG12	ED8kU-50DD-RED	41.6
BG13	ED8kU-50DD-RED	38.2
BG14	ED8kU-50DD-RED	36.4
C1	TSL140BE	273.6
C2	TSL140BE	279.2
C3	TSL140BE	206.9
CM1	ED8kU-90DD-RED	118.3
CM2	ED8kU-90DD-RED	116.3
CM3	ED8kU-90DD-RED	111
CM4	ED8kU-90DD-RED	111.9
CM5	ED8kU-70DD	183.1
CM6	ED8kU-70DD	180.7
CM7	ED8kU-70DD	181.1
CG01	ED8kU-50DD-RED	56.5
CG02	ED8kU-50DD-RED	51.6
CG03	ED8kU-50DD-RED	52.5
CG04	ED8kU-50DD-RED	55.1
CG05	ED8kU-50DD-RED	53.8
CG06	ED8kU-50DD-RED	50.2
CG07	ED8kU-50DD-RED	48.8
CG08	ED8kU-50DD-RED	51.5
CG09	ED8kU-50DD-RED	48.9
CG10	ED8kU-50DD-RED	45
CG11	ED8kU-50DD-RED	44.2
CG12	ED8kU-50DD-RED	41.9
CG13	ED8kU-50DD-RED	39.3
CG14	ED8kU-50DD-RED	34.8
F1	Phoenix-ORG	198.4
F2	Phoenix-ORG	226.1
FM1	PPSLS_65ORG	99.9
FM2	PPSLS_65ORG	99.4
FM3	PPSLS_65ORG	70
FM4	PPSLS_65ORG	71.6
FG01	PPSLS_65ORG	71.3
FG02	PPSLS_65ORG	63.5
FG03	PPSLS_65ORG	59.8
FG04	PPSLS_65ORG	67

FG05	PPSLS_65ORG	62
FG06	PPSLS_65ORG	52.5
FG07	PPSLS_65ORG	46.4
FG08	PPSLS_65ORG	46.5
FF1	ED7850-2400	120
S1	DSL70-GRN	311.9
SM1	PPSLS_65GN	57.8
SM2	PPSLS_65GN	80.6
SG01	PPSLS_65GN	29.4
SG02	PPSLS_65GN	32.4
SG03	PPSLS_65GN	21.2
SG04	PPSLS_65GN	35.3
SAG1	PPSLS_65GN	99.7
SBG1	PPSLS_65GN	97.9

Full Line lengths for BANTAM - 14

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	4433
A2R`	4384
A3R`	4371
A4R`	4395
A5R`	4383
A6R`	4344
A7R`	4337
A8R`	4363
A9R`	4354.6932802123
A10R`	4314.6932802123
A11R`	4284.6932802123
A12R`	4262.6932802123
A13R`	4236.6932802123
A14R`	4218.6932802123
A15R`	4086
B1R`	4371
B2R`	4321
B3R`	4309
B4R`	4334
B5R`	4326
B6R`	4290
B7R`	4285
B8R`	4315
B9R`	4292.6333997347
B10R`	4257.6333997347
B11R`	4232.6333997347
B12R`	4215.6333997347
B13R`	4193.6333997347
B14R`	4175.6333997347
B15R`	4068
C1R`	4453.6932802123
C2R`	4404.6932802123
C3R`	4393.6932802123
C4R`	4419.6932802123
C5R`	4409.6932802123
C6R`	4373.6932802123
C7R`	4368.6932802123
C8R`	4395.6932802123
C9R`	4358.7568193897

C10R`	4319.7568193897
C11R`	4287.7568193897
C12R`	4264.7568193897
C13R`	4242.7568193897
C14R`	4197.7568193897
F1R`	4386
F2R`	4308
F3R`	4266
F4R`	4338
F5R`	4271
F6R`	4176
F7R`	4131
F8R`	4132
S4R`	4248
S3R`	4107
S2R`	3991
S1R`	3961
`	0
FF2	0