NOVA ION 5

Table of contents

Line plan for ION 5

Line lengths for ION 5 - XXS

Full Line lengths for ION 5 - XXS

Line lengths for ION 5 - XS

Full Line lengths for ION 5 - XS

Line lengths for ION 5 - S


Full Line lengths for ION 5 - S

Line lengths for ION 5 - M

Full Line lengths for ION 5 - M

Line lengths for ION 5 - L

Full Line lengths for ION 5 - L


A1
A2
A3
S
B1
B2
B3
AG1
AG2
AG3
AG4
AG5
AG6
AG7
BG1
BG2
BG3
BG4
BG5
BG6
BG7
SAG1
SM1
SG1
SBG1
SG2
SM2
SG3
SG4
CG1
CG2
CG3
CG4
CG5
CG6
CG7
FG9
FG8
FG7
FG6
FG5
FG4
FG3
FG2
FG1
FM4
FM3
FM2
FM1
C1
C2
C3
FF
F1
F2

Line lengths for ION5 - XXS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	418.6
A2	PPSL191-RED	420
A3	PPSL191-RED	342.2
AG01	ED8kU-90DD-RED	200.1
AG02	ED8kU-90DD-RED	196.7
AG03	ED8kU-90DD-RED	190.9
AG04	ED8kU-90DD-RED	188
AG05	ED8kU-70DD	260.2
AG06	ED8kU-70DD	249.9
AG07	ED8kU-70DD	239.8
B1	PPSL191-YW	414.6
B2	PPSL191-YW	417.1
B3	PPSL191-YW	337.4
BG01	ED8kU-90DD-RED	195.7
BG02	ED8kU-90DD-RED	192.5
BG03	ED8kU-90DD-RED	186.3
BG04	ED8kU-90DD-RED	184.1
BG05	ED8kU-70DD	259.1
BG06	ED8kU-70DD	250
BG07	ED8kU-70DD	239.9
C1	TSL140BE	432.7
C2	TSL140BE	434
C3	TSL140BE	340.4
CG01	ED8kU-90DD-RED	189.9
CG02	ED8kU-90DD-RED	186.5
CG03	ED8kU-90DD-RED	180.7
CG04	ED8kU-90DD-RED	177.8
CG05	ED8kU-70DD	260.2
CG06	ED8kU-70DD	250.1
CG07	ED8kU-70DD	237.4
F1	DSL70-ORG	219.6
F2	DSL70-ORG	263.6
FM1	DSL70-ORG	204.5
FM2	DSL70-ORG	190.6
FM3	DSL70-ORG	137.4
FM4	DSL70-ORG	105.5
FG01	PPSLS_65ORG	127.2
FG02	PPSLS_65ORG	95
FG03	PPSLS_65ORG	89.9

FG04	PPSLS_65ORG	76.9
FG05	PPSLS_65ORG	78.2
FG06	PPSLS_65ORG	60.1
FG07	PPSLS_65ORG	73.8
FG08	PPSLS_65ORG	56
FG09	PPSLS_65ORG	47.7
FF	ED7850-240-ORG	150
S1	TSL140GN	434.8
SM1	DSL70GN	56.7
SM2	DSL70GN	75.1
SG01	PPSLS_65GN	38.9
SG02	PPSLS_65GN	40.3
SG03	PPSLS_65GN	29.6
SG04	PPSLS_65GN	38.4
SAG1	DSL70GN	114.8
SBG1	DSL70GN	112.7

Full Line lengths for ION 5 - XXS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	6154
A2R`	6120
A3R`	6076
A4R`	6047
A5R`	5991
A6R`	5888
A7R`	5787
A8R`	5463
B1R`	6070
B2R`	6038
B3R`	6001
B4R`	5979
B5R`	5932
B6R`	5841
B7R`	5740
B8R`	5442
C1R`	6193
C2R`	6159
C3R`	6114
C4R`	6085
C5R`	5973
C6R`	5872
C7R`	5745
F1R`	6480
F2R`	6158
F3R`	5968
F4R`	5838
F5R`	5759
F6R`	5578
F7R`	5396
F8R`	5218
F9R`	5135
S4R`	5450
S3R`	5362
S2R`	5285
S1R`	5271

Line lengths for ION5 - XS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	440.8
A2	PPSL191-RED	442.9
A3	PPSL191-RED	361.3
AG01	ED8kU-90DD-RED	210.4
AG02	ED8kU-90DD-RED	207
AG03	ED8kU-90DD-RED	200.7
AG04	ED8kU-90DD-RED	197.9
AG05	ED8kU-70DD	273.5
AG06	ED8kU-70DD	262.9
AG07	ED8kU-70DD	252.4
B1	PPSL191-YW	436.8
B2	PPSL191-YW	440
B3	PPSL191-YW	356.7
BG01	ED8kU-90DD-RED	205.7
BG02	ED8kU-90DD-RED	202.7
BG03	ED8kU-90DD-RED	195.8
BG04	ED8kU-90DD-RED	193.8
BG05	ED8kU-70DD	272.4
BG06	ED8kU-70DD	263.1
BG07	ED8kU-70DD	252.7
C1	TSL140BE	455.3
C2	TSL140BE	457.4
C3	TSL140BE	360.4
CG01	ED8kU-90DD-RED	199.6
CG02	ED8kU-90DD-RED	196.4
CG03	ED8kU-90DD-RED	189.9
CG04	ED8kU-90DD-RED	187.2
CG05	ED8kU-70DD	273.4
CG06	ED8kU-70DD	263.1
CG07	ED8kU-70DD	250.1
F1	DSL70-ORG	231.3
F2	DSL70-ORG	278.5
FM1	DSL70-ORG	214.8
FM2	DSL70-ORG	200.8
FM3	DSL70-ORG	144.4
FM4	DSL70-ORG	111.3
FG01	PPSLS_65ORG	135.8
FG02	PPSLS_65ORG	101.2
FG03	PPSLS_65ORG	95.4

FG04	PPSLS_65ORG	81
FG05	PPSLS_65ORG	82.5
FG06	PPSLS_65ORG	63.3
FG07	PPSLS_65ORG	77.5
FG08	PPSLS_65ORG	58.9
FG09	PPSLS_65ORG	50.3
FF	ED7850-240-ORG	154.5
S1	TSL140GN	459.1
SM1	DSL70GN	59.7
SM2	DSL70GN	78.9
SG01	PPSLS_65GN	40.9
SG02	PPSLS_65GN	42.3
SG03	PPSLS_65GN	31.1
SG04	PPSLS_65GN	40.4
SAG1	DSL70GN	120.8
SBG1	DSL70GN	120.3

Full Line lengths for ION 5 - XS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	6479
A2R`	6445
A3R`	6403
A4R`	6375
A5R`	6315
A6R`	6209
A7R`	6104
A8R`	5766
B1R`	6392
B2R`	6362
B3R`	6325
B4R`	6305
B5R`	6258
B6R`	6165
B7R`	6061
B8R`	5761
C1R`	6516
C2R`	6484
C3R`	6440
C4R`	6413
C5R`	6305
C6R`	6202
C7R`	6072
F1R`	6781
F2R`	6435
F3R`	6237
F4R`	6093
F5R`	6016
F6R`	5824
F7R`	5635
F8R`	5449
F9R`	5363
S4R`	5751
S3R`	5658
S2R`	5578
S1R`	5564

Line lengths for ION5 - S

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	461.7
A2	PPSL191-RED	464.4
A3	PPSL191-RED	379.6
AG01	ED8kU-90DD-RED	220.2
AG02	ED8kU-90DD-RED	216.9
AG03	ED8kU-90DD-RED	210.1
AG04	ED8kU-90DD-RED	207.4
AG05	ED8kU-70DD	286.2
AG06	ED8kU-70DD	275.3
AG07	ED8kU-70DD	264.6
B1	PPSL191-YW	457.5
B2	PPSL191-YW	461.4
B3	PPSL191-YW	374.8
BG01	ED8kU-90DD-RED	215.3
BG02	ED8kU-90DD-RED	212.4
BG03	ED8kU-90DD-RED	204.9
BG04	ED8kU-90DD-RED	203
BG05	ED8kU-70DD	285.1
BG06	ED8kU-70DD	275.5
BG07	ED8kU-70DD	264.8
C1	TSL140BE	476.8
C2	TSL140BE	479.6
C3	TSL140BE	378.7
CG01	ED8kU-90DD-RED	208.9
CG02	ED8kU-90DD-RED	205.8
CG03	ED8kU-90DD-RED	198.8
CG04	ED8kU-90DD-RED	196.1
CG05	ED8kU-70DD	286.2
CG06	ED8kU-70DD	275.6
CG07	ED8kU-70DD	262.1
F1	DSL70-ORG	242.5
F2	DSL70-ORG	292.7
FM1	DSL70-ORG	224.6
FM2	DSL70-ORG	210.5
FM3	DSL70-ORG	151
FM4	DSL70-ORG	116.9
FG01	PPSLS_65ORG	140.2
FG02	PPSLS_65ORG	105
FG03	PPSLS_65ORG	99

FG04	PPSLS_65ORG	84.9
FG05	PPSLS_65ORG	86.1
FG06	PPSLS_65ORG	66.3
FG07	PPSLS_65ORG	81.1
FG08	PPSLS_65ORG	61.7
FG09	PPSLS_65ORG	52.8
FF	ED7850-240-ORG	163
S1	TSL140GN	482.3
SM1	DSL70GN	62.5
SM2	DSL70GN	82.6
SG01	PPSLS_65GN	42.8
SG02	PPSLS_65GN	44.3
SG03	PPSLS_65GN	32.6
SG04	PPSLS_65GN	42.3
SAG1	DSL70GN	126.4
SBG1	DSL70GN	125.8

Full Line lengths for ION5 - S

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	6786
A2R`	6753
A3R`	6712
A4R`	6685
A5R`	6625
A6R`	6516
A7R`	6409
A8R`	6054
B1R`	6695
B2R`	6666
B3R`	6630
B4R`	6611
B5R`	6566
B6R`	6470
B7R`	6363
B8R`	6048
C1R`	6824
C2R`	6793
C3R`	6751
C4R`	6724
C5R`	6616
C6R`	6510
C7R`	6375
F1R`	7120
F2R`	6768
F3R`	6567
F4R`	6426
F5R`	6345
F6R`	6147
F7R`	5954
F8R`	5760
F9R`	5671
S4R`	6039
S3R`	5942
S2R`	5858
S1R`	5843

Line lengths for ION5 - M

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	482.1
A2	PPSL191-RED	485.5
A3	PPSL191-RED	397.5
AG01	ED8kU-90DD-RED	229.7
AG02	ED8kU-90DD-RED	226.6
AG03	ED8kU-90DD-RED	219.2
AG04	ED8kU-90DD-RED	216.6
AG05	ED8kU-70DD	298.7
AG06	ED8kU-70DD	287.5
AG07	ED8kU-70DD	276.4
B1	PPSL191-YW	477.3
B2	PPSL191-YW	481.9
B3	PPSL191-YW	392
BG01	ED8kU-90DD-RED	224.7
BG02	ED8kU-90DD-RED	221.8
BG03	ED8kU-90DD-RED	213.8
BG04	ED8kU-90DD-RED	212.1
BG05	ED8kU-70DD	297.5
BG06	ED8kU-70DD	287.7
BG07	ED8kU-70DD	276.6
C1	TSL140BE	497.6
C2	TSL140BE	501.1
C3	TSL140BE	396.5
CG01	ED8kU-90DD-RED	218
CG02	ED8kU-90DD-RED	214.9
CG03	ED8kU-90DD-RED	207.4
CG04	ED8kU-90DD-RED	204.9
CG05	ED8kU-70DD	298.6
CG06	ED8kU-70DD	287.7
CG07	ED8kU-70DD	273.9
F1	DSL70-ORG	251.6
F2	DSL70-ORG	310.1
FM1	DSL70-ORG	234.2
FM2	DSL70-ORG	220
FM3	DSL70-ORG	151.7
FM4	DSL70-ORG	121.6
FG01	PPSLS_65ORG	144.5
FG02	PPSLS_65ORG	108.7
FG03	PPSLS_65ORG	102.6

FG04	PPSLS_65ORG	88.7
FG05	PPSLS_65ORG	89.2
FG06	PPSLS_65ORG	69.8
FG07	PPSLS_65ORG	80.4
FG08	PPSLS_65ORG	61.8
FG09	PPSLS_65ORG	54.9
FF	ED7850-240-ORG	167
S1	TSL140GN	505
SM1	DSL70GN	65.3
SM2	DSL70GN	86.1
SG01	PPSLS_65GN	44.7
SG02	PPSLS_65GN	46.3
SG03	PPSLS_65GN	34
SG04	PPSLS_65GN	44.1
SAG1	DSL70GN	132
SBG1	DSL70GN	131.3

Full Line lengths for ION 5 - M

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	7085
A2R`	7054
A3R`	7014
A4R`	6988
A5R`	6929
A6R`	6817
A7R`	6706
A8R`	6337
B1R`	6987
B2R`	6958
B3R`	6924
B4R`	6907
B5R`	6862
B6R`	6764
B7R`	6653
B8R`	6330
C1R`	7123
C2R`	7092
C3R`	7052
C4R`	7027
C5R`	6918
C6R`	6809
C7R`	6671
F1R`	7410
F2R`	7052
F3R`	6849
F4R`	6710
F5R`	6617
F6R`	6423
F7R`	6228
F8R`	6042
F9R`	5973
S4R`	6319
S3R`	6218
S2R`	6133
S1R`	6117

Line lengths for ION5 - L

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL160-RED	501.6
A2	PPSL160-RED	505.6
A3	PPSL160-RED	414.5
AG01	ED8kU-120DD-RED	238.8
AG02	ED8kU-120DD-RED	235.8
AG03	ED8kU-120DD-RED	227.9
AG04	ED8kU-120DD-RED	225.4
AG05	ED8kU-90DD-RED	310.5
AG06	ED8kU-90DD-RED	299
AG07	ED8kU-90DD-RED	287.7
B1	PPSL160-YEL	497
B2	PPSL160-YEL	502.2
B3	PPSL160-YEL	409.2
BG01	ED8kU-120DD-RED	233.6
BG02	ED8kU-120DD-RED	230.8
BG03	ED8kU-120DD-RED	222.3
BG04	ED8kU-120DD-RED	220.7
BG05	ED8kU-90DD-RED	309.3
BG06	ED8kU-90DD-RED	299.3
BG07	ED8kU-90DD-RED	287.9
C1	TSL140BE	517.6
C2	TSL140BE	521.7
C3	TSL140BE	413.4
CG01	ED8kU-120DD-RED	226.6
CG02	ED8kU-120DD-RED	223.7
CG03	ED8kU-120DD-RED	215.6
CG04	ED8kU-120DD-RED	213.2
CG05	ED8kU-90DD-RED	310.5
CG06	ED8kU-90DD-RED	299.3
CG07	ED8kU-90DD-RED	285
F1	DSL70-ORG	264
F2	DSL70-ORG	319.9
FM1	DSL70-ORG	243.5
FM2	DSL70-ORG	229
FM3	DSL70-ORG	163.8
FM4	DSL70-ORG	127.4
FG01	PPSLS_65ORG	148.5
FG02	PPSLS_65ORG	112.1
FG03	PPSLS_65ORG	106

FG04	PPSLS_65ORG	92.4
FG05	PPSLS_65ORG	93
FG06	PPSLS_65ORG	72.1
FG07	PPSLS_65ORG	88
FG08	PPSLS_65ORG	66.9
FG09	PPSLS_65ORG	57.4
FF	ED7850-240-ORG	176
S1	TSL140GN	526.5
SM1	DSL70GN	68
SM2	DSL70GN	89.5
SG01	PPSLS_65GN	46.5
SG02	PPSLS_65GN	48.1
SG03	PPSLS_65GN	35.4
SG04	PPSLS_65GN	45.9
SAG1	DSL70GN	137.3
SBG1	DSL70GN	136.5

Full Line lengths for ION5 - L

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	7371
A2R`	7341
A3R`	7302
A4R`	7277
A5R`	7217
A6R`	7102
A7R`	6989
A8R`	6605
B1R`	7273
B2R`	7245
B3R`	7212
B4R`	7196
B5R`	7152
B6R`	7052
B7R`	6938
B8R`	6597
C1R`	7409
C2R`	7380
C3R`	7340
C4R`	7316
C5R`	7206
C6R`	7094
C7R`	6951
F1R`	7757
F2R`	7393
F3R`	7187
F4R`	7051
F5R`	6964
F6R`	6755
F7R`	6550
F8R`	6339
F9R`	6244
S4R`	6586
S3R`	6481
S2R`	6393
S1R`	6377