



ION 5 LIGHT

Table of contents

Line lengths for ION 5 LIGHT- XXXS
Full Line lengths for ION 5 LIGHT- XXXS
Line lengths for ION 5 LIGHT- XXS
Full Line lengths for ION 5 LIGHT- XXS
Line lengths for ION 5 LIGHT- XS
Full Line lengths for ION 5 LIGHT- XS
Line lengths for ION 5 LIGHT- S
Full Line lengths for ION 5 LIGHT- S
Line lengths for ION 5 LIGHT- M
Full Line lengths for ION 5 LIGHT- M
Line lengths for ION 5 LIGHT- L
Full Line lengths for ION 5 LIGHT- L

Line lengths for ION5LIGHT - XXXS

See also: docs.nova.eu for a searchable online database

| Position | Material | Length (cm) |
|----------|----------------|-------------|
| A1 | PPSL191-RED | 399.5 |
| A2 | PPSL191-RED | 400.3 |
| A3 | PPSL191-RED | 325.2 |
| AG01 | ED8kU-90DD-RED | 191 |
| AG02 | ED8kU-90DD-RED | 187.4 |
| AG03 | ED8kU-90DD-RED | 182.2 |
| AG04 | ED8kU-90DD-RED | 179.2 |
| AG05 | ED8kU-70DD | 248.3 |
| AG06 | ED8kU-70DD | 238.3 |
| AG07 | ED8kU-70DD | 228.5 |
| B1 | PPSL191-YW | 395.4 |
| B2 | PPSL191-YW | 397.2 |
| B3 | PPSL191-YW | 320.6 |
| BG01 | ED8kU-90DD-RED | 186.8 |
| BG02 | ED8kU-90DD-RED | 183.5 |
| BG03 | ED8kU-90DD-RED | 177.8 |
| BG04 | ED8kU-90DD-RED | 175.5 |
| BG05 | ED8kU-70DD | 247.3 |
| BG06 | ED8kU-70DD | 238.5 |
| BG07 | ED8kU-70DD | 228.7 |
| C1 | TSL140BE | 412.6 |
| C2 | TSL140BE | 413.4 |
| C3 | TSL140BE | 323.4 |
| CG01 | ED8kU-90DD-RED | 181.3 |
| CG02 | ED8kU-90DD-RED | 177.8 |
| CG03 | ED8kU-90DD-RED | 172.5 |
| CG04 | ED8kU-90DD-RED | 169.5 |
| CG05 | ED8kU-70DD | 248.3 |
| CG06 | ED8kU-70DD | 238.5 |
| CG07 | ED8kU-70DD | 226.3 |
| F1 | DSL70-ORG | 209.1 |
| F2 | DSL70-ORG | 250.3 |
| FM1 | DSL70-ORG | 195.3 |
| FM2 | DSL70-ORG | 181.6 |
| FM3 | DSL70-ORG | 131.1 |
| FM4 | DSL70-ORG | 100.4 |
| FG01 | PPSLS_65ORG | 123.1 |
| FG02 | PPSLS_65ORG | 91.5 |
| FG03 | PPSLS_65ORG | 86.5 |

| | | |
|------|----------------|-------|
| FG04 | PPSLS_65ORG | 73.3 |
| FG05 | PPSLS_65ORG | 74.8 |
| FG06 | PPSLS_65ORG | 57.3 |
| FG07 | PPSLS_65ORG | 70.4 |
| FG08 | PPSLS_65ORG | 53.4 |
| FG09 | PPSLS_65ORG | 45.4 |
| FF | ED7850-240-ORG | 141 |
| S1 | TSL140GN | 413.3 |
| SM1 | DSL70GN | 54 |
| SM2 | DSL70GN | 71.7 |
| SG01 | PPSLS_65GN | 37.1 |
| SG02 | PPSLS_65GN | 38.4 |
| SG03 | PPSLS_65GN | 28.2 |
| SG04 | PPSLS_65GN | 36.6 |
| SAG1 | DSL70GN | 109.5 |
| SBG1 | DSL70GN | 107.5 |

Full Line lengths for ION5LIGHT - XXXS

See also: docs.nova.eu for a searchable online database

| Position | Length (mm) |
|-----------------|--------------------|
| A1R` | 5872 |
| A2R` | 5836 |
| A3R` | 5792 |
| A4R` | 5762 |
| A5R` | 5702 |
| A6R` | 5602 |
| A7R` | 5504 |
| A8R` | 5195 |
| B1R` | 5789 |
| B2R` | 5756 |
| B3R` | 5717 |
| B4R` | 5694 |
| B5R` | 5646 |
| B6R` | 5558 |
| B7R` | 5460 |
| B8R` | 5175 |
| C1R` | 5906 |
| C2R` | 5871 |
| C3R` | 5826 |
| C4R` | 5796 |
| C5R` | 5684 |
| C6R` | 5586 |
| C7R` | 5464 |
| F1R` | 6151.5 |
| F2R` | 5835.5 |
| F3R` | 5649.3 |
| F4R` | 5517 |
| F5R` | 5439.4 |
| F6R` | 5264 |
| F7R` | 5088 |
| F8R` | 4918 |
| F9R` | 4838 |
| S4R` | 5183 |
| S3R` | 5099 |
| S2R` | 5024 |
| S1R` | 5011 |
| ` | 0 |

Line lengths for ION5LIGHT - XXS

See also: docs.nova.eu for a searchable online database

| Position | Material | Length (cm) |
|----------|----------------|-------------|
| A1 | PPSL191-RED | 418.6 |
| A2 | PPSL191-RED | 420 |
| A3 | PPSL191-RED | 342.2 |
| AG01 | ED8kU-90DD-RED | 200.1 |
| AG02 | ED8kU-90DD-RED | 196.7 |
| AG03 | ED8kU-90DD-RED | 190.9 |
| AG04 | ED8kU-90DD-RED | 188 |
| AG05 | ED8kU-70DD | 260.2 |
| AG06 | ED8kU-70DD | 249.9 |
| AG07 | ED8kU-70DD | 239.8 |
| B1 | PPSL191-YW | 414.6 |
| B2 | PPSL191-YW | 417.1 |
| B3 | PPSL191-YW | 337.4 |
| BG01 | ED8kU-90DD-RED | 195.7 |
| BG02 | ED8kU-90DD-RED | 192.5 |
| BG03 | ED8kU-90DD-RED | 186.3 |
| BG04 | ED8kU-90DD-RED | 184.1 |
| BG05 | ED8kU-70DD | 259.1 |
| BG06 | ED8kU-70DD | 250 |
| BG07 | ED8kU-70DD | 239.9 |
| C1 | TSL140BE | 432.7 |
| C2 | TSL140BE | 434 |
| C3 | TSL140BE | 340.4 |
| CG01 | ED8kU-90DD-RED | 189.9 |
| CG02 | ED8kU-90DD-RED | 186.5 |
| CG03 | ED8kU-90DD-RED | 180.7 |
| CG04 | ED8kU-90DD-RED | 177.8 |
| CG05 | ED8kU-70DD | 260.2 |
| CG06 | ED8kU-70DD | 250.1 |
| CG07 | ED8kU-70DD | 237.4 |
| F1 | DSL70-ORG | 219.6 |
| F2 | DSL70-ORG | 263.6 |
| FM1 | DSL70-ORG | 204.5 |
| FM2 | DSL70-ORG | 190.6 |
| FM3 | DSL70-ORG | 137.4 |
| FM4 | DSL70-ORG | 105.5 |
| FG01 | PPSLS_65ORG | 127.2 |
| FG02 | PPSLS_65ORG | 95 |
| FG03 | PPSLS_65ORG | 89.9 |

| | | |
|------|----------------|-------|
| FG04 | PPSLS_65ORG | 76.9 |
| FG05 | PPSLS_65ORG | 78.2 |
| FG06 | PPSLS_65ORG | 60.1 |
| FG07 | PPSLS_65ORG | 73.8 |
| FG08 | PPSLS_65ORG | 56 |
| FG09 | PPSLS_65ORG | 47.7 |
| FF | ED7850-240-ORG | 150 |
| S1 | TSL140GN | 434.8 |
| SM1 | DSL70GN | 56.7 |
| SM2 | DSL70GN | 75.1 |
| SG01 | PPSLS_65GN | 38.9 |
| SG02 | PPSLS_65GN | 40.3 |
| SG03 | PPSLS_65GN | 29.6 |
| SG04 | PPSLS_65GN | 38.4 |
| SAG1 | DSL70GN | 114.8 |
| SBG1 | DSL70GN | 112.7 |

Full Line lengths for ION5LIGHT - XXS

See also: docs.nova.eu for a searchable online database

| Position | Length (mm) |
|-----------------|--------------------|
| A1R` | 6154 |
| A2R` | 6120 |
| A3R` | 6076 |
| A4R` | 6047 |
| A5R` | 5991 |
| A6R` | 5888 |
| A7R` | 5787 |
| A8R` | 5463 |
| B1R` | 6070 |
| B2R` | 6038 |
| B3R` | 6001 |
| B4R` | 5979 |
| B5R` | 5932 |
| B6R` | 5841 |
| B7R` | 5740 |
| B8R` | 5442 |
| C1R` | 6193 |
| C2R` | 6159 |
| C3R` | 6114 |
| C4R` | 6085 |
| C5R` | 5973 |
| C6R` | 5872 |
| C7R` | 5745 |
| F1R` | 6480 |
| F2R` | 6158 |
| F3R` | 5968 |
| F4R` | 5838 |
| F5R` | 5759 |
| F6R` | 5578 |
| F7R` | 5396 |
| F8R` | 5218 |
| F9R` | 5135 |
| S4R` | 5450 |
| S3R` | 5362 |
| S2R` | 5285 |
| S1R` | 5271 |
| ` | 0 |

Line lengths for ION5LIGHT - XS

See also: docs.nova.eu for a searchable online database

| Position | Material | Length (cm) |
|----------|----------------|-------------|
| A1 | PPSL191-RED | 440.8 |
| A2 | PPSL191-RED | 442.9 |
| A3 | PPSL191-RED | 361.3 |
| AG01 | ED8kU-90DD-RED | 210.4 |
| AG02 | ED8kU-90DD-RED | 207 |
| AG03 | ED8kU-90DD-RED | 200.7 |
| AG04 | ED8kU-90DD-RED | 197.9 |
| AG05 | ED8kU-70DD | 273.5 |
| AG06 | ED8kU-70DD | 262.9 |
| AG07 | ED8kU-70DD | 252.4 |
| B1 | PPSL191-YW | 436.8 |
| B2 | PPSL191-YW | 440 |
| B3 | PPSL191-YW | 356.7 |
| BG01 | ED8kU-90DD-RED | 205.7 |
| BG02 | ED8kU-90DD-RED | 202.7 |
| BG03 | ED8kU-90DD-RED | 195.8 |
| BG04 | ED8kU-90DD-RED | 193.8 |
| BG05 | ED8kU-70DD | 272.4 |
| BG06 | ED8kU-70DD | 263.1 |
| BG07 | ED8kU-70DD | 252.7 |
| C1 | TSL140BE | 455.3 |
| C2 | TSL140BE | 457.4 |
| C3 | TSL140BE | 360.4 |
| CG01 | ED8kU-90DD-RED | 199.6 |
| CG02 | ED8kU-90DD-RED | 196.4 |
| CG03 | ED8kU-90DD-RED | 189.9 |
| CG04 | ED8kU-90DD-RED | 187.2 |
| CG05 | ED8kU-70DD | 273.4 |
| CG06 | ED8kU-70DD | 263.1 |
| CG07 | ED8kU-70DD | 250.1 |
| F1 | DSL70-ORG | 231.3 |
| F2 | DSL70-ORG | 278.5 |
| FM1 | DSL70-ORG | 214.8 |
| FM2 | DSL70-ORG | 200.8 |
| FM3 | DSL70-ORG | 144.4 |
| FM4 | DSL70-ORG | 111.3 |
| FG01 | PPSLS_65ORG | 135.8 |
| FG02 | PPSLS_65ORG | 101.2 |
| FG03 | PPSLS_65ORG | 95.4 |

| | | |
|------|----------------|-------|
| FG04 | PPSLS_65ORG | 81 |
| FG05 | PPSLS_65ORG | 82.5 |
| FG06 | PPSLS_65ORG | 63.3 |
| FG07 | PPSLS_65ORG | 77.5 |
| FG08 | PPSLS_65ORG | 58.9 |
| FG09 | PPSLS_65ORG | 50.3 |
| FF | ED7850-240-ORG | 154.5 |
| S1 | TSL140GN | 459.1 |
| SM1 | DSL70GN | 59.7 |
| SM2 | DSL70GN | 78.9 |
| SG01 | PPSLS_65GN | 40.9 |
| SG02 | PPSLS_65GN | 42.3 |
| SG03 | PPSLS_65GN | 31.1 |
| SG04 | PPSLS_65GN | 40.4 |
| SAG1 | DSL70GN | 120.8 |
| SBG1 | DSL70GN | 120.3 |

Full Line lengths for ION5LIGHT - XS

See also: docs.nova.eu for a searchable online database

| Position | Length (mm) |
|-----------------|--------------------|
| A1R` | 6479 |
| A2R` | 6445 |
| A3R` | 6403 |
| A4R` | 6375 |
| A5R` | 6315 |
| A6R` | 6209 |
| A7R` | 6104 |
| A8R` | 5766 |
| B1R` | 6392 |
| B2R` | 6362 |
| B3R` | 6325 |
| B4R` | 6305 |
| B5R` | 6258 |
| B6R` | 6165 |
| B7R` | 6061 |
| B8R` | 5761 |
| C1R` | 6516 |
| C2R` | 6484 |
| C3R` | 6440 |
| C4R` | 6413 |
| C5R` | 6305 |
| C6R` | 6202 |
| C7R` | 6072 |
| F1R` | 6781 |
| F2R` | 6435 |
| F3R` | 6237 |
| F4R` | 6093 |
| F5R` | 6016 |
| F6R` | 5824 |
| F7R` | 5635 |
| F8R` | 5449 |
| F9R` | 5363 |
| S4R` | 5751 |
| S3R` | 5658 |
| S2R` | 5578 |
| S1R` | 5564 |
| ` | 0 |

Line lengths for ION5LIGHT - S

See also: docs.nova.eu for a searchable online database

| Position | Material | Length (cm) |
|----------|----------------|-------------|
| A1 | PPSL191-RED | 461.7 |
| A2 | PPSL191-RED | 464.4 |
| A3 | PPSL191-RED | 379.6 |
| AG01 | ED8kU-90DD-RED | 220.2 |
| AG02 | ED8kU-90DD-RED | 216.9 |
| AG03 | ED8kU-90DD-RED | 210.1 |
| AG04 | ED8kU-90DD-RED | 207.4 |
| AG05 | ED8kU-70DD | 286.2 |
| AG06 | ED8kU-70DD | 275.3 |
| AG07 | ED8kU-70DD | 264.6 |
| B1 | PPSL191-YW | 457.5 |
| B2 | PPSL191-YW | 461.4 |
| B3 | PPSL191-YW | 374.8 |
| BG01 | ED8kU-90DD-RED | 215.3 |
| BG02 | ED8kU-90DD-RED | 212.4 |
| BG03 | ED8kU-90DD-RED | 204.9 |
| BG04 | ED8kU-90DD-RED | 203 |
| BG05 | ED8kU-70DD | 285.1 |
| BG06 | ED8kU-70DD | 275.5 |
| BG07 | ED8kU-70DD | 264.8 |
| C1 | TSL140BE | 476.8 |
| C2 | TSL140BE | 479.6 |
| C3 | TSL140BE | 378.7 |
| CG01 | ED8kU-90DD-RED | 208.9 |
| CG02 | ED8kU-90DD-RED | 205.8 |
| CG03 | ED8kU-90DD-RED | 198.8 |
| CG04 | ED8kU-90DD-RED | 196.1 |
| CG05 | ED8kU-70DD | 286.2 |
| CG06 | ED8kU-70DD | 275.6 |
| CG07 | ED8kU-70DD | 262.1 |
| F1 | DSL70-ORG | 242.5 |
| F2 | DSL70-ORG | 292.7 |
| FM1 | DSL70-ORG | 224.6 |
| FM2 | DSL70-ORG | 210.5 |
| FM3 | DSL70-ORG | 151 |
| FM4 | DSL70-ORG | 116.9 |
| FG01 | PPSLS_65ORG | 140.2 |
| FG02 | PPSLS_65ORG | 105 |
| FG03 | PPSLS_65ORG | 99 |

| | | |
|------|----------------|-------|
| FG04 | PPSLS_65ORG | 84.9 |
| FG05 | PPSLS_65ORG | 86.1 |
| FG06 | PPSLS_65ORG | 66.3 |
| FG07 | PPSLS_65ORG | 81.1 |
| FG08 | PPSLS_65ORG | 61.7 |
| FG09 | PPSLS_65ORG | 52.8 |
| FF | ED7850-240-ORG | 163 |
| S1 | TSL140GN | 482.3 |
| SM1 | DSL70GN | 62.5 |
| SM2 | DSL70GN | 82.6 |
| SG01 | PPSLS_65GN | 42.8 |
| SG02 | PPSLS_65GN | 44.3 |
| SG03 | PPSLS_65GN | 32.6 |
| SG04 | PPSLS_65GN | 42.3 |
| SAG1 | DSL70GN | 126.4 |
| SBG1 | DSL70GN | 125.8 |

Full Line lengths for ION5LIGHT - S

See also: docs.nova.eu for a searchable online database

| Position | Length (mm) |
|-----------------|--------------------|
| A1R` | 6786 |
| A2R` | 6753 |
| A3R` | 6712 |
| A4R` | 6685 |
| A5R` | 6625 |
| A6R` | 6516 |
| A7R` | 6409 |
| A8R` | 6054 |
| B1R` | 6695 |
| B2R` | 6666 |
| B3R` | 6630 |
| B4R` | 6611 |
| B5R` | 6566 |
| B6R` | 6470 |
| B7R` | 6363 |
| B8R` | 6048 |
| C1R` | 6824 |
| C2R` | 6793 |
| C3R` | 6751 |
| C4R` | 6724 |
| C5R` | 6616 |
| C6R` | 6510 |
| C7R` | 6375 |
| F1R` | 7120 |
| F2R` | 6768 |
| F3R` | 6567 |
| F4R` | 6426 |
| F5R` | 6345 |
| F6R` | 6147 |
| F7R` | 5954 |
| F8R` | 5760 |
| F9R` | 5671 |
| S4R` | 6039 |
| S3R` | 5942 |
| S2R` | 5858 |
| S1R` | 5843 |
| ` | 0 |

Line lengths for ION5LIGHT - M

See also: docs.nova.eu for a searchable online database

| Position | Material | Length (cm) |
|----------|----------------|-------------|
| A1 | PPSL191-RED | 482.1 |
| A2 | PPSL191-RED | 485.5 |
| A3 | PPSL191-RED | 397.5 |
| AG01 | ED8kU-90DD-RED | 229.7 |
| AG02 | ED8kU-90DD-RED | 226.6 |
| AG03 | ED8kU-90DD-RED | 219.2 |
| AG04 | ED8kU-90DD-RED | 216.6 |
| AG05 | ED8kU-70DD | 298.7 |
| AG06 | ED8kU-70DD | 287.5 |
| AG07 | ED8kU-70DD | 276.4 |
| B1 | PPSL191-YW | 477.3 |
| B2 | PPSL191-YW | 481.9 |
| B3 | PPSL191-YW | 392 |
| BG01 | ED8kU-90DD-RED | 224.7 |
| BG02 | ED8kU-90DD-RED | 221.8 |
| BG03 | ED8kU-90DD-RED | 213.8 |
| BG04 | ED8kU-90DD-RED | 212.1 |
| BG05 | ED8kU-70DD | 297.5 |
| BG06 | ED8kU-70DD | 287.7 |
| BG07 | ED8kU-70DD | 276.6 |
| C1 | TSL140BE | 497.6 |
| C2 | TSL140BE | 501.1 |
| C3 | TSL140BE | 396.5 |
| CG01 | ED8kU-90DD-RED | 218 |
| CG02 | ED8kU-90DD-RED | 214.9 |
| CG03 | ED8kU-90DD-RED | 207.4 |
| CG04 | ED8kU-90DD-RED | 204.9 |
| CG05 | ED8kU-70DD | 298.6 |
| CG06 | ED8kU-70DD | 287.7 |
| CG07 | ED8kU-70DD | 273.9 |
| F1 | DSL70-ORG | 251.6 |
| F2 | DSL70-ORG | 310.1 |
| FM1 | DSL70-ORG | 234.2 |
| FM2 | DSL70-ORG | 220 |
| FM3 | DSL70-ORG | 151.7 |
| FM4 | DSL70-ORG | 121.6 |
| FG01 | PPSLS_65ORG | 144.5 |
| FG02 | PPSLS_65ORG | 108.7 |
| FG03 | PPSLS_65ORG | 102.6 |

| | | |
|------|----------------|-------|
| FG04 | PPSLS_65ORG | 88.7 |
| FG05 | PPSLS_65ORG | 89.2 |
| FG06 | PPSLS_65ORG | 69.8 |
| FG07 | PPSLS_65ORG | 80.4 |
| FG08 | PPSLS_65ORG | 61.8 |
| FG09 | PPSLS_65ORG | 54.9 |
| FF | ED7850-240-ORG | 167 |
| S1 | TSL140GN | 505 |
| SM1 | DSL70GN | 65.3 |
| SM2 | DSL70GN | 86.1 |
| SG01 | PPSLS_65GN | 44.7 |
| SG02 | PPSLS_65GN | 46.3 |
| SG03 | PPSLS_65GN | 34 |
| SG04 | PPSLS_65GN | 44.1 |
| SAG1 | DSL70GN | 132 |
| SBG1 | DSL70GN | 131.3 |

Full Line lengths for ION5LIGHT - M

See also: docs.nova.eu for a searchable online database

| Position | Length (mm) |
|-----------------|--------------------|
| A1R` | 7085 |
| A2R` | 7054 |
| A3R` | 7014 |
| A4R` | 6988 |
| A5R` | 6929 |
| A6R` | 6817 |
| A7R` | 6706 |
| A8R` | 6337 |
| B1R` | 6987 |
| B2R` | 6958 |
| B3R` | 6924 |
| B4R` | 6907 |
| B5R` | 6862 |
| B6R` | 6764 |
| B7R` | 6653 |
| B8R` | 6330 |
| C1R` | 7123 |
| C2R` | 7092 |
| C3R` | 7052 |
| C4R` | 7027 |
| C5R` | 6918 |
| C6R` | 6809 |
| C7R` | 6671 |
| F1R` | 7410 |
| F2R` | 7052 |
| F3R` | 6849 |
| F4R` | 6710 |
| F5R` | 6617 |
| F6R` | 6423 |
| F7R` | 6228 |
| F8R` | 6042 |
| F9R` | 5973 |
| S4R` | 6319 |
| S3R` | 6218 |
| S2R` | 6133 |
| S1R` | 6117 |
| ` | 0 |

Line lengths for ION5LIGHT - L

See also: docs.nova.eu for a searchable online database

| Position | Material | Length (cm) |
|----------|-----------------|-------------|
| A1 | PPSL160-RED | 501.6 |
| A2 | PPSL160-RED | 505.6 |
| A3 | PPSL160-RED | 414.5 |
| AG01 | ED8kU-120DD-RED | 238.8 |
| AG02 | ED8kU-120DD-RED | 235.8 |
| AG03 | ED8kU-120DD-RED | 227.9 |
| AG04 | ED8kU-120DD-RED | 225.4 |
| AG05 | ED8kU-90DD-RED | 310.5 |
| AG06 | ED8kU-90DD-RED | 299 |
| AG07 | ED8kU-90DD-RED | 287.7 |
| B1 | PPSL160-YEL | 497 |
| B2 | PPSL160-YEL | 502.2 |
| B3 | PPSL160-YEL | 409.2 |
| BG01 | ED8kU-120DD-RED | 233.6 |
| BG02 | ED8kU-120DD-RED | 230.8 |
| BG03 | ED8kU-120DD-RED | 222.3 |
| BG04 | ED8kU-120DD-RED | 220.7 |
| BG05 | ED8kU-90DD-RED | 309.3 |
| BG06 | ED8kU-90DD-RED | 299.3 |
| BG07 | ED8kU-90DD-RED | 287.9 |
| C1 | TSL140BE | 517.6 |
| C2 | TSL140BE | 521.7 |
| C3 | TSL140BE | 413.4 |
| CG01 | ED8kU-120DD-RED | 226.6 |
| CG02 | ED8kU-120DD-RED | 223.7 |
| CG03 | ED8kU-120DD-RED | 215.6 |
| CG04 | ED8kU-120DD-RED | 213.2 |
| CG05 | ED8kU-90DD-RED | 310.5 |
| CG06 | ED8kU-90DD-RED | 299.3 |
| CG07 | ED8kU-90DD-RED | 285 |
| F1 | DSL70-ORG | 264 |
| F2 | DSL70-ORG | 319.9 |
| FM1 | DSL70-ORG | 243.5 |
| FM2 | DSL70-ORG | 229 |
| FM3 | DSL70-ORG | 163.8 |
| FM4 | DSL70-ORG | 127.4 |
| FG01 | PPSLS_65ORG | 148.5 |
| FG02 | PPSLS_65ORG | 112.1 |
| FG03 | PPSLS_65ORG | 106 |

| | | |
|------|----------------|-------|
| FG04 | PPSLS_65ORG | 92.4 |
| FG05 | PPSLS_65ORG | 93 |
| FG06 | PPSLS_65ORG | 72.1 |
| FG07 | PPSLS_65ORG | 88 |
| FG08 | PPSLS_65ORG | 66.9 |
| FG09 | PPSLS_65ORG | 57.4 |
| FF | ED7850-240-ORG | 176 |
| S1 | TSL140GN | 526.5 |
| SM1 | DSL70GN | 68 |
| SM2 | DSL70GN | 89.5 |
| SG01 | PPSLS_65GN | 46.5 |
| SG02 | PPSLS_65GN | 48.1 |
| SG03 | PPSLS_65GN | 35.4 |
| SG04 | PPSLS_65GN | 45.9 |
| SAG1 | DSL70GN | 137.3 |
| SBG1 | DSL70GN | 136.5 |

Full Line lengths for ION5LIGHT - L

See also: docs.nova.eu for a searchable online database

| Position | Length (mm) |
|-----------------|--------------------|
| A1R` | 7371 |
| A2R` | 7341 |
| A3R` | 7302 |
| A4R` | 7277 |
| A5R` | 7217 |
| A6R` | 7102 |
| A7R` | 6989 |
| A8R` | 6605 |
| B1R` | 7273 |
| B2R` | 7245 |
| B3R` | 7212 |
| B4R` | 7196 |
| B5R` | 7152 |
| B6R` | 7052 |
| B7R` | 6938 |
| B8R` | 6597 |
| C1R` | 7409 |
| C2R` | 7380 |
| C3R` | 7340 |
| C4R` | 7316 |
| C5R` | 7206 |
| C6R` | 7094 |
| C7R` | 6951 |
| F1R` | 7757 |
| F2R` | 7393 |
| F3R` | 7187 |
| F4R` | 7051 |
| F5R` | 6964 |
| F6R` | 6755 |
| F7R` | 6550 |
| F8R` | 6339 |
| F9R` | 6244 |
| S4R` | 6586 |
| S3R` | 6481 |
| S2R` | 6393 |
| S1R` | 6377 |
| ` | 0 |