



# ION 5 LIGHT

## Table of contents

Line plan for ION 5 LIGHT

Line lengths for ION 5 LIGHT- XXXS

Full Line lengths for ION 5 LIGHT- XXXS

Line lengths for ION 5 LIGHT- XXS

Full Line lengths for ION 5 LIGHT- XXS

Line lengths for ION 5 LIGHT- XS

Full Line lengths for ION 5 LIGHT- XS

Line lengths for ION 5 LIGHT- S


Full Line lengths for ION 5 LIGHT- S

Line lengths for ION 5 LIGHT- M

Full Line lengths for ION 5 LIGHT- M

Line lengths for ION 5 LIGHT- L

Full Line lengths for ION 5 LIGHT- L



# Line lengths for ION5LIGHT - XXXS

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	399.5
A2	PPSL191-RED	400.3
A3	PPSL191-RED	325.2
AG01	ED8kU-90DD-RED	191
AG02	ED8kU-90DD-RED	187.4
AG03	ED8kU-90DD-RED	182.2
AG04	ED8kU-90DD-RED	179.2
AG05	ED8kU-70DD	248.3
AG06	ED8kU-70DD	238.3
AG07	ED8kU-70DD	228.5
B1	PPSL191-YW	395.4
B2	PPSL191-YW	397.2
B3	PPSL191-YW	320.6
BG01	ED8kU-90DD-RED	186.8
BG02	ED8kU-90DD-RED	183.5
BG03	ED8kU-90DD-RED	177.8
BG04	ED8kU-90DD-RED	175.5
BG05	ED8kU-70DD	247.3
BG06	ED8kU-70DD	238.5
BG07	ED8kU-70DD	228.7
C1	TSL140BE	412.6
C2	TSL140BE	413.4
C3	TSL140BE	323.4
CG01	ED8kU-90DD-RED	181.3
CG02	ED8kU-90DD-RED	177.8
CG03	ED8kU-90DD-RED	172.5
CG04	ED8kU-90DD-RED	169.5
CG05	ED8kU-70DD	248.3
CG06	ED8kU-70DD	238.5
CG07	ED8kU-70DD	226.3
F1	DSL70-ORG	209.1
F2	DSL70-ORG	250.3
FM1	DSL70-ORG	195.3
FM2	DSL70-ORG	181.6
FM3	DSL70-ORG	131.1
FM4	DSL70-ORG	100.4
FG01	PPSLS_65ORG	123.1
FG02	PPSLS_65ORG	91.5
FG03	PPSLS_65ORG	86.5

FG04	PPSLS_65ORG	73.3
FG05	PPSLS_65ORG	74.8
FG06	PPSLS_65ORG	57.3
FG07	PPSLS_65ORG	70.4
FG08	PPSLS_65ORG	53.4
FG09	PPSLS_65ORG	45.4
FF	ED7850-240-ORG	141
S1	TSL140GN	413.3
SM1	DSL70GN	54
SM2	DSL70GN	71.7
SG01	PPSLS_65GN	37.1
SG02	PPSLS_65GN	38.4
SG03	PPSLS_65GN	28.2
SG04	PPSLS_65GN	36.6
SAG1	DSL70GN	109.5
SBG1	DSL70GN	107.5

# Full Line lengths for ION5LIGHT - XXXS

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

<b>Position</b>	<b>Length (mm)</b>
A1R`	5872
A2R`	5836
A3R`	5792
A4R`	5762
A5R`	5702
A6R`	5602
A7R`	5504
A8R`	5195
B1R`	5789
B2R`	5756
B3R`	5717
B4R`	5694
B5R`	5646
B6R`	5558
B7R`	5460
B8R`	5175
C1R`	5906
C2R`	5871
C3R`	5826
C4R`	5796
C5R`	5684
C6R`	5586
C7R`	5464
F1R`	6151.5
F2R`	5835.5
F3R`	5649.3
F4R`	5517
F5R`	5439.4
F6R`	5264
F7R`	5088
F8R`	4918
F9R`	4838
S4R`	5183
S3R`	5099
S2R`	5024
S1R`	5011
`	0

# Line lengths for ION5LIGHT - XXS

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	418.6
A2	PPSL191-RED	420
A3	PPSL191-RED	342.2
AG01	ED8kU-90DD-RED	200.1
AG02	ED8kU-90DD-RED	196.7
AG03	ED8kU-90DD-RED	190.9
AG04	ED8kU-90DD-RED	188
AG05	ED8kU-70DD	260.2
AG06	ED8kU-70DD	249.9
AG07	ED8kU-70DD	239.8
B1	PPSL191-YW	414.6
B2	PPSL191-YW	417.1
B3	PPSL191-YW	337.4
BG01	ED8kU-90DD-RED	195.7
BG02	ED8kU-90DD-RED	192.5
BG03	ED8kU-90DD-RED	186.3
BG04	ED8kU-90DD-RED	184.1
BG05	ED8kU-70DD	259.1
BG06	ED8kU-70DD	250
BG07	ED8kU-70DD	239.9
C1	TSL140BE	432.7
C2	TSL140BE	434
C3	TSL140BE	340.4
CG01	ED8kU-90DD-RED	189.9
CG02	ED8kU-90DD-RED	186.5
CG03	ED8kU-90DD-RED	180.7
CG04	ED8kU-90DD-RED	177.8
CG05	ED8kU-70DD	260.2
CG06	ED8kU-70DD	250.1
CG07	ED8kU-70DD	237.4
F1	DSL70-ORG	219.6
F2	DSL70-ORG	263.6
FM1	DSL70-ORG	204.5
FM2	DSL70-ORG	190.6
FM3	DSL70-ORG	137.4
FM4	DSL70-ORG	105.5
FG01	PPSLS_65ORG	127.2
FG02	PPSLS_65ORG	95
FG03	PPSLS_65ORG	89.9

FG04	PPSLS_65ORG	76.9
FG05	PPSLS_65ORG	78.2
FG06	PPSLS_65ORG	60.1
FG07	PPSLS_65ORG	73.8
FG08	PPSLS_65ORG	56
FG09	PPSLS_65ORG	47.7
FF	ED7850-240-ORG	150
S1	TSL140GN	434.8
SM1	DSL70GN	56.7
SM2	DSL70GN	75.1
SG01	PPSLS_65GN	38.9
SG02	PPSLS_65GN	40.3
SG03	PPSLS_65GN	29.6
SG04	PPSLS_65GN	38.4
SAG1	DSL70GN	114.8
SBG1	DSL70GN	112.7

# Full Line lengths for ION5LIGHT - XXS

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

<b>Position</b>	<b>Length (mm)</b>
A1R`	6154
A2R`	6120
A3R`	6076
A4R`	6047
A5R`	5991
A6R`	5888
A7R`	5787
A8R`	5463
B1R`	6070
B2R`	6038
B3R`	6001
B4R`	5979
B5R`	5932
B6R`	5841
B7R`	5740
B8R`	5442
C1R`	6193
C2R`	6159
C3R`	6114
C4R`	6085
C5R`	5973
C6R`	5872
C7R`	5745
F1R`	6480
F2R`	6158
F3R`	5968
F4R`	5838
F5R`	5759
F6R`	5578
F7R`	5396
F8R`	5218
F9R`	5135
S4R`	5450
S3R`	5362
S2R`	5285
S1R`	5271
`	0



# Line lengths for ION5LIGHT - XS

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	440.8
A2	PPSL191-RED	442.9
A3	PPSL191-RED	361.3
AG01	ED8kU-90DD-RED	210.4
AG02	ED8kU-90DD-RED	207
AG03	ED8kU-90DD-RED	200.7
AG04	ED8kU-90DD-RED	197.9
AG05	ED8kU-70DD	273.5
AG06	ED8kU-70DD	262.9
AG07	ED8kU-70DD	252.4
B1	PPSL191-YW	436.8
B2	PPSL191-YW	440
B3	PPSL191-YW	356.7
BG01	ED8kU-90DD-RED	205.7
BG02	ED8kU-90DD-RED	202.7
BG03	ED8kU-90DD-RED	195.8
BG04	ED8kU-90DD-RED	193.8
BG05	ED8kU-70DD	272.4
BG06	ED8kU-70DD	263.1
BG07	ED8kU-70DD	252.7
C1	TSL140BE	455.3
C2	TSL140BE	457.4
C3	TSL140BE	360.4
CG01	ED8kU-90DD-RED	199.6
CG02	ED8kU-90DD-RED	196.4
CG03	ED8kU-90DD-RED	189.9
CG04	ED8kU-90DD-RED	187.2
CG05	ED8kU-70DD	273.4
CG06	ED8kU-70DD	263.1
CG07	ED8kU-70DD	250.1
F1	DSL70-ORG	231.3
F2	DSL70-ORG	278.5
FM1	DSL70-ORG	214.8
FM2	DSL70-ORG	200.8
FM3	DSL70-ORG	144.4
FM4	DSL70-ORG	111.3
FG01	PPSLS_65ORG	135.8
FG02	PPSLS_65ORG	101.2
FG03	PPSLS_65ORG	95.4

FG04	PPSLS_65ORG	81
FG05	PPSLS_65ORG	82.5
FG06	PPSLS_65ORG	63.3
FG07	PPSLS_65ORG	77.5
FG08	PPSLS_65ORG	58.9
FG09	PPSLS_65ORG	50.3
FF	ED7850-240-ORG	154.5
S1	TSL140GN	459.1
SM1	DSL70GN	59.7
SM2	DSL70GN	78.9
SG01	PPSLS_65GN	40.9
SG02	PPSLS_65GN	42.3
SG03	PPSLS_65GN	31.1
SG04	PPSLS_65GN	40.4
SAG1	DSL70GN	120.8
SBG1	DSL70GN	120.3

# Full Line lengths for ION5LIGHT - XS

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

<b>Position</b>	<b>Length (mm)</b>
A1R`	6479
A2R`	6445
A3R`	6403
A4R`	6375
A5R`	6315
A6R`	6209
A7R`	6104
A8R`	5766
B1R`	6392
B2R`	6362
B3R`	6325
B4R`	6305
B5R`	6258
B6R`	6165
B7R`	6061
B8R`	5761
C1R`	6516
C2R`	6484
C3R`	6440
C4R`	6413
C5R`	6305
C6R`	6202
C7R`	6072
F1R`	6781
F2R`	6435
F3R`	6237
F4R`	6093
F5R`	6016
F6R`	5824
F7R`	5635
F8R`	5449
F9R`	5363
S4R`	5751
S3R`	5658
S2R`	5578
S1R`	5564
`	0

# Line lengths for ION5LIGHT - S

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	461.7
A2	PPSL191-RED	464.4
A3	PPSL191-RED	379.6
AG01	ED8kU-90DD-RED	220.2
AG02	ED8kU-90DD-RED	216.9
AG03	ED8kU-90DD-RED	210.1
AG04	ED8kU-90DD-RED	207.4
AG05	ED8kU-70DD	286.2
AG06	ED8kU-70DD	275.3
AG07	ED8kU-70DD	264.6
B1	PPSL191-YW	457.5
B2	PPSL191-YW	461.4
B3	PPSL191-YW	374.8
BG01	ED8kU-90DD-RED	215.3
BG02	ED8kU-90DD-RED	212.4
BG03	ED8kU-90DD-RED	204.9
BG04	ED8kU-90DD-RED	203
BG05	ED8kU-70DD	285.1
BG06	ED8kU-70DD	275.5
BG07	ED8kU-70DD	264.8
C1	TSL140BE	476.8
C2	TSL140BE	479.6
C3	TSL140BE	378.7
CG01	ED8kU-90DD-RED	208.9
CG02	ED8kU-90DD-RED	205.8
CG03	ED8kU-90DD-RED	198.8
CG04	ED8kU-90DD-RED	196.1
CG05	ED8kU-70DD	286.2
CG06	ED8kU-70DD	275.6
CG07	ED8kU-70DD	262.1
F1	DSL70-ORG	242.5
F2	DSL70-ORG	292.7
FM1	DSL70-ORG	224.6
FM2	DSL70-ORG	210.5
FM3	DSL70-ORG	151
FM4	DSL70-ORG	116.9
FG01	PPSLS_65ORG	140.2
FG02	PPSLS_65ORG	105
FG03	PPSLS_65ORG	99

FG04	PPSLS_65ORG	84.9
FG05	PPSLS_65ORG	86.1
FG06	PPSLS_65ORG	66.3
FG07	PPSLS_65ORG	81.1
FG08	PPSLS_65ORG	61.7
FG09	PPSLS_65ORG	52.8
FF	ED7850-240-ORG	163
S1	TSL140GN	482.3
SM1	DSL70GN	62.5
SM2	DSL70GN	82.6
SG01	PPSLS_65GN	42.8
SG02	PPSLS_65GN	44.3
SG03	PPSLS_65GN	32.6
SG04	PPSLS_65GN	42.3
SAG1	DSL70GN	126.4
SBG1	DSL70GN	125.8

# Full Line lengths for ION5LIGHT - S

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

<b>Position</b>	<b>Length (mm)</b>
A1R`	6786
A2R`	6753
A3R`	6712
A4R`	6685
A5R`	6625
A6R`	6516
A7R`	6409
A8R`	6054
B1R`	6695
B2R`	6666
B3R`	6630
B4R`	6611
B5R`	6566
B6R`	6470
B7R`	6363
B8R`	6048
C1R`	6824
C2R`	6793
C3R`	6751
C4R`	6724
C5R`	6616
C6R`	6510
C7R`	6375
F1R`	7120
F2R`	6768
F3R`	6567
F4R`	6426
F5R`	6345
F6R`	6147
F7R`	5954
F8R`	5760
F9R`	5671
S4R`	6039
S3R`	5942
S2R`	5858
S1R`	5843
`	0

# Line lengths for ION5LIGHT - M

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RED	482.1
A2	PPSL191-RED	485.5
A3	PPSL191-RED	397.5
AG01	ED8kU-90DD-RED	229.7
AG02	ED8kU-90DD-RED	226.6
AG03	ED8kU-90DD-RED	219.2
AG04	ED8kU-90DD-RED	216.6
AG05	ED8kU-70DD	298.7
AG06	ED8kU-70DD	287.5
AG07	ED8kU-70DD	276.4
B1	PPSL191-YW	477.3
B2	PPSL191-YW	481.9
B3	PPSL191-YW	392
BG01	ED8kU-90DD-RED	224.7
BG02	ED8kU-90DD-RED	221.8
BG03	ED8kU-90DD-RED	213.8
BG04	ED8kU-90DD-RED	212.1
BG05	ED8kU-70DD	297.5
BG06	ED8kU-70DD	287.7
BG07	ED8kU-70DD	276.6
C1	TSL140BE	497.6
C2	TSL140BE	501.1
C3	TSL140BE	396.5
CG01	ED8kU-90DD-RED	218
CG02	ED8kU-90DD-RED	214.9
CG03	ED8kU-90DD-RED	207.4
CG04	ED8kU-90DD-RED	204.9
CG05	ED8kU-70DD	298.6
CG06	ED8kU-70DD	287.7
CG07	ED8kU-70DD	273.9
F1	DSL70-ORG	251.6
F2	DSL70-ORG	310.1
FM1	DSL70-ORG	234.2
FM2	DSL70-ORG	220
FM3	DSL70-ORG	151.7
FM4	DSL70-ORG	121.6
FG01	PPSLS_65ORG	144.5
FG02	PPSLS_65ORG	108.7
FG03	PPSLS_65ORG	102.6

FG04	PPSLS_65ORG	88.7
FG05	PPSLS_65ORG	89.2
FG06	PPSLS_65ORG	69.8
FG07	PPSLS_65ORG	80.4
FG08	PPSLS_65ORG	61.8
FG09	PPSLS_65ORG	54.9
FF	ED7850-240-ORG	167
S1	TSL140GN	505
SM1	DSL70GN	65.3
SM2	DSL70GN	86.1
SG01	PPSLS_65GN	44.7
SG02	PPSLS_65GN	46.3
SG03	PPSLS_65GN	34
SG04	PPSLS_65GN	44.1
SAG1	DSL70GN	132
SBG1	DSL70GN	131.3



# Full Line lengths for ION5LIGHT - M

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

<b>Position</b>	<b>Length (mm)</b>
A1R`	7085
A2R`	7054
A3R`	7014
A4R`	6988
A5R`	6929
A6R`	6817
A7R`	6706
A8R`	6337
B1R`	6987
B2R`	6958
B3R`	6924
B4R`	6907
B5R`	6862
B6R`	6764
B7R`	6653
B8R`	6330
C1R`	7123
C2R`	7092
C3R`	7052
C4R`	7027
C5R`	6918
C6R`	6809
C7R`	6671
F1R`	7410
F2R`	7052
F3R`	6849
F4R`	6710
F5R`	6617
F6R`	6423
F7R`	6228
F8R`	6042
F9R`	5973
S4R`	6319
S3R`	6218
S2R`	6133
S1R`	6117
`	0

# Line lengths for ION5LIGHT - L

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

Position	Material	Length (cm)
A1	PPSL160-RED	501.6
A2	PPSL160-RED	505.6
A3	PPSL160-RED	414.5
AG01	ED8kU-120DD-RED	238.8
AG02	ED8kU-120DD-RED	235.8
AG03	ED8kU-120DD-RED	227.9
AG04	ED8kU-120DD-RED	225.4
AG05	ED8kU-90DD-RED	310.5
AG06	ED8kU-90DD-RED	299
AG07	ED8kU-90DD-RED	287.7
B1	PPSL160-YEL	497
B2	PPSL160-YEL	502.2
B3	PPSL160-YEL	409.2
BG01	ED8kU-120DD-RED	233.6
BG02	ED8kU-120DD-RED	230.8
BG03	ED8kU-120DD-RED	222.3
BG04	ED8kU-120DD-RED	220.7
BG05	ED8kU-90DD-RED	309.3
BG06	ED8kU-90DD-RED	299.3
BG07	ED8kU-90DD-RED	287.9
C1	TSL140BE	517.6
C2	TSL140BE	521.7
C3	TSL140BE	413.4
CG01	ED8kU-120DD-RED	226.6
CG02	ED8kU-120DD-RED	223.7
CG03	ED8kU-120DD-RED	215.6
CG04	ED8kU-120DD-RED	213.2
CG05	ED8kU-90DD-RED	310.5
CG06	ED8kU-90DD-RED	299.3
CG07	ED8kU-90DD-RED	285
F1	DSL70-ORG	264
F2	DSL70-ORG	319.9
FM1	DSL70-ORG	243.5
FM2	DSL70-ORG	229
FM3	DSL70-ORG	163.8
FM4	DSL70-ORG	127.4
FG01	PPSLS_65ORG	148.5
FG02	PPSLS_65ORG	112.1
FG03	PPSLS_65ORG	106

FG04	PPSLS_65ORG	92.4
FG05	PPSLS_65ORG	93
FG06	PPSLS_65ORG	72.1
FG07	PPSLS_65ORG	88
FG08	PPSLS_65ORG	66.9
FG09	PPSLS_65ORG	57.4
FF	ED7850-240-ORG	176
S1	TSL140GN	526.5
SM1	DSL70GN	68
SM2	DSL70GN	89.5
SG01	PPSLS_65GN	46.5
SG02	PPSLS_65GN	48.1
SG03	PPSLS_65GN	35.4
SG04	PPSLS_65GN	45.9
SAG1	DSL70GN	137.3
SBG1	DSL70GN	136.5

# Full Line lengths for ION5LIGHT - L

See also: [docs.nova.eu](https://docs.nova.eu) for a searchable online database

<b>Position</b>	<b>Length (mm)</b>
A1R`	7371
A2R`	7341
A3R`	7302
A4R`	7277
A5R`	7217
A6R`	7102
A7R`	6989
A8R`	6605
B1R`	7273
B2R`	7245
B3R`	7212
B4R`	7196
B5R`	7152
B6R`	7052
B7R`	6938
B8R`	6597
C1R`	7409
C2R`	7380
C3R`	7340
C4R`	7316
C5R`	7206
C6R`	7094
C7R`	6951
F1R`	7757
F2R`	7393
F3R`	7187
F4R`	7051
F5R`	6964
F6R`	6755
F7R`	6550
F8R`	6339
F9R`	6244
S4R`	6586
S3R`	6481
S2R`	6393
S1R`	6377
`	0