



Table of contents

Line plan for ION 7

Line lengths for ION 7 - XXXS

Full Line lengths for ION 7 - XXXS

Line lengths for ION 7 - XXS

Full Line lengths for ION 7 - XXS

Line lengths for ION 7 - XS

Full Line lengths for ION 7 - XS

Line lengths for ION 7 - S


Full Line lengths for ION 7 - S

Line lengths for ION 7 - M

Full Line lengths for ION 7 - M

Line lengths for ION 7 - L

Full Line lengths for ION 7 - L



Line lengths for ION7 - XXXS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	401.1
A2	PPSL191-RD	406.1
A3	PPSL191-RD	311.9
AG1	ED8kU-90DD-RD	140.7
AG2	ED8kU-90DD-RD	137.5
AG3	ED8kU-90DD-RD	129.8
AG4	ED8kU-90DD-RD	128.1
AG5	ED8kU-70DD-RD	215.9
AG6	ED8kU-70DD-RD	203.3
AG7	ED8kU-70DD-RD	196.1
B1	PPSL191-YW	396.5
B2	PPSL191-YW	401.7
B3	PPSL191-YW	313.6
BG1	ED8kU-90DD-RD	138.7
BG2	ED8kU-90DD-RD	137.2
BG3	ED8kU-90DD-RD	128.7
BG4	ED8kU-90DD-RD	125
BG5	ED8kU-70DD-RD	207.9
BG6	ED8kU-70DD-RD	196.5
BG7	ED8kU-70DD-RD	190.5
C1	TSL140-BE	406.8
C2	TSL140-BE	409.7
C3	TSL140-BE	319.2
CM1	ED8kU-90DD-RD	82
CM2	ED8kU-90DD-RD	78.9
CM3	ED8kU-90DD-RD	73.8
CM4	ED8kU-90DD-RD	73.5
CG1	ED8kU-70DD-RD	57.8
CG2	ED8kU-70DD-RD	56.7
CG3	ED8kU-70DD-RD	54.1
CG4	ED8kU-70DD-RD	51.9
CG5	ED8kU-70DD-RD	205.9
CG6	ED8kU-70DD-RD	192.7
CG7	ED8kU-70DD-RD	185.8
DG1	ED8kU-70DD-RD	69.3
DG2	ED8kU-70DD-RD	67.7
DG3	ED8kU-70DD-RD	64.6
DG4	ED8kU-70DD-RD	60.6
F1	DSL70-OE	270.5

F2	DSL70-OE	180.4
FM1	DSL70-OE	102.6
FM2	DSL70-GN	70.7
FM3	DSL70-OE	84
FM4	DSL70-OE	70.7
FM5	DSL70-OE	46
FM6	DSL70-OE	50.6
FMM1	DSL70-OE	80.4
FMM2	DSL70-OE	105
FG1	PPSLS65-OE	53.9
FG10	PPSLS65-OE	19.5
FG11	PPSLS65-OE	16.2
FG12	PPSLS65-OE	27.9
FG2	PPSLS65-OE	28.7
FG3	PPSLS65-OE	38.1
FG4	PPSLS65-OE	35.7
FG5	PPSLS65-OE	32.5
FG6	PPSLS65-OE	19.5
FG7	PPSLS65-OE	21.5
FG8	PPSLS65-OE	25.8
FG9	PPSLS65-OE	19.3
F	ED7850-2400	191.5
SG1	PPSLS65-GN	80.8
SG2	PPSLS65-GN	84.9
S	DSL70-GN	400
SAG1	PPSLS65-GN	89.5
SBG1	PPSLS65-GN	90.5

Full Line lengths for ION7 - XXXS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	5906.8
A2R`	5875.2
A3R`	5847.9
A4R`	5831.3
A5R`	5767.4
A6R`	5641.7
A7R`	5569.3
A8R`	5385.1
B1R`	5841.9
B2R`	5826.4
B3R`	5793.5
B4R`	5756.2
B5R`	5704.3
B6R`	5590.4
B7R`	5530.2
B8R`	5394.9
C1R`	5945.8
D1R`	6061
C2R`	5904.1
D2R`	6014.1
C3R`	5857.1
D3R`	5961.8
C4R`	5832.1
D4R`	5918.7
C5R`	5740.4
C6R`	5608.5
C7R`	5539.3
F1R`	6183.3
F2R`	5931
F3R`	5706.9
F4R`	5683.6
F5R`	5685.2
F6R`	5555.4
F7R`	5443
F8R`	5485.8
F9R`	5420
F10R`	5422.9
F11R`	5435.5
F12R`	5552

S2R`	5338.9
S1R`	5298.3
`	0

Line lengths for ION7 - XXS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	423.7
A2	PPSL191-RD	429.6
A3	PPSL191-RD	331.2
AG1	ED8kU-90DD-RD	147.8
AG2	ED8kU-90DD-RD	144.8
AG3	ED8kU-90DD-RD	136.4
AG4	ED8kU-90DD-RD	134.8
AG5	ED8kU-70DD-RD	227
AG6	ED8kU-70DD-RD	213.9
AG7	ED8kU-70DD-RD	206.4
B1	PPSL191-YW	419
B2	PPSL191-YW	424.9
B3	PPSL191-YW	332.7
BG1	ED8kU-90DD-RD	145.4
BG2	ED8kU-90DD-RD	144.1
BG3	ED8kU-90DD-RD	134.7
BG4	ED8kU-90DD-RD	131.2
BG5	ED8kU-70DD-RD	217.9
BG6	ED8kU-70DD-RD	206.2
BG7	ED8kU-70DD-RD	200.2
C1	TSL140-BE	430.1
C2	TSL140-BE	433.9
C3	TSL140-BE	339.7
CM1	ED8kU-90DD-RD	86.1
CM2	ED8kU-90DD-RD	83.1
CM3	ED8kU-90DD-RD	77.3
CM4	ED8kU-90DD-RD	77.2
CG1	ED8kU-70DD-RD	60.2
CG2	ED8kU-70DD-RD	59.1
CG3	ED8kU-70DD-RD	56.5
CG4	ED8kU-70DD-RD	54.3
CG5	ED8kU-70DD-RD	215.7
CG6	ED8kU-70DD-RD	202.3
CG7	ED8kU-70DD-RD	195.2
DG1	ED8kU-70DD-RD	72.8
DG2	ED8kU-70DD-RD	71.1
DG3	ED8kU-70DD-RD	67.9
DG4	ED8kU-70DD-RD	63.7
F1	DSL70-OE	279.8

F2	DSL70-OE	189.6
FM1	DSL70-OE	101.6
FM2	DSL70-OE	80.2
FM3	DSL70-OE	88.2
FM4	DSL70-OE	74.7
FM5	DSL70-OE	48.2
FM6	DSL70-OE	54.3
FMM1	DSL70-OE	84.2
FMM2	DSL70-OE	110.8
FG1	PPSLS65-OE	56.7
FG10	PPSLS65-OE	26.2
FG11	PPSLS65-OE	23.3
FG12	PPSLS65-OE	33.9
FG2	PPSLS65-OE	34.9
FG3	PPSLS65-OE	42.4
FG4	PPSLS65-OE	40.1
FG5	PPSLS65-OE	37.9
FG6	PPSLS65-OE	25.9
FG7	PPSLS65-OE	28.2
FG8	PPSLS65-OE	32
FG9	PPSLS65-OE	26.2
F	ED7850-2400	207.2
SG1	PPSLS65-GN	85.1
SG2	PPSLS65-GN	88.8
S	DSL70-GN	423
SAG1	PPSLS65-GN	94.1
SBG1	PPSLS65-GN	94.7

Full Line lengths for ION7 - XXS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	6205
A2R`	6174
A3R`	6149
A4R`	6134
A5R`	6072
A6R`	5941
A7R`	5866
A8R`	5661
B1R`	6134
B2R`	6121
B3R`	6086
B4R`	6051
B5R`	5996
B6R`	5879
B7R`	5819
B8R`	5667
C1R`	6246
D1R`	6372
C2R`	6205
D2R`	6325
C3R`	6160
D3R`	6273
C4R`	6136
D4R`	6230
C5R`	6044
C6R`	5910
C7R`	5840
F1R`	6453
F2R`	6235
F3R`	6097
F4R`	6074
F5R`	6071
F6R`	5951
F7R`	5838
F8R`	5877
F9R`	5820
F10R`	5821
F11R`	5853
F12R`	5959

S2R`	5608
S1R`	5571
`	0

Line lengths for ION7 - XS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	448.1
A2	PPSL191-RD	454.6
A3	PPSL191-RD	351.2
AG1	ED8kU-90DD-RD	155.2
AG2	ED8kU-90DD-RD	152.1
AG3	ED8kU-90DD-RD	143.1
AG4	ED8kU-90DD-RD	141.6
AG5	ED8kU-70DD-RD	238.4
AG6	ED8kU-70DD-RD	224.6
AG7	ED8kU-70DD-RD	216.9
B1	PPSL191-YW	442.8
B2	PPSL191-YW	449.3
B3	PPSL191-YW	352.8
BG1	ED8kU-90DD-RD	152.5
BG2	ED8kU-90DD-RD	151.4
BG3	ED8kU-90DD-RD	141.4
BG4	ED8kU-90DD-RD	137.9
BG5	ED8kU-70DD-RD	228.8
BG6	ED8kU-70DD-RD	216.6
BG7	ED8kU-70DD-RD	210.2
C1	TSL140-BE	454.1
C2	TSL140-BE	458.6
C3	TSL140-BE	359.9
CM1	ED8kU-90DD-RD	90.9
CM2	ED8kU-90DD-RD	88
CM3	ED8kU-90DD-RD	81.7
CM4	ED8kU-90DD-RD	81.6
CG1	ED8kU-70DD-RD	63.3
CG2	ED8kU-70DD-RD	62.1
CG3	ED8kU-70DD-RD	59.4
CG4	ED8kU-70DD-RD	57.1
CG5	ED8kU-70DD-RD	226.5
CG6	ED8kU-70DD-RD	212.4
CG7	ED8kU-70DD-RD	205.1
DG1	ED8kU-70DD-RD	77.2
DG2	ED8kU-70DD-RD	75.5
DG3	ED8kU-70DD-RD	72.1
DG4	ED8kU-70DD-RD	67.7
F1	DSL70-OE	297.9

F2	DSL70-OE	199.4
FM1	DSL70-OE	113.2
FM2	DSL70-OE	84.4
FM3	DSL70-OE	92.6
FM4	DSL70-OE	78.5
FM5	DSL70-OE	50.6
FM6	DSL70-OE	57.1
FMM1	DSL70-OE	88.3
FMM2	DSL70-OE	116.6
FG1	PPSLS65-OE	59.6
FG10	PPSLS65-OE	27.6
FG11	PPSLS65-OE	24.4
FG12	PPSLS65-OE	35.6
FG2	PPSLS65-OE	36.6
FG3	PPSLS65-OE	44.5
FG4	PPSLS65-OE	42.2
FG5	PPSLS65-OE	39.8
FG6	PPSLS65-OE	27.2
FG7	PPSLS65-OE	29.6
FG8	PPSLS65-OE	33.6
FG9	PPSLS65-OE	27.5
F	ED7850-2400	218.1
SG1	PPSLS65-GN	89.3
SG2	PPSLS65-GN	93.2
S	DSL70-GN	447.5
SAG1	PPSLS65-GN	98.8
SBG1	PPSLS65-GN	99.4

Full Line lengths for ION7 - XS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	6522
A2R`	6492
A3R`	6467
A4R`	6452
A5R`	6385
A6R`	6248
A7R`	6171
A8R`	5954
B1R`	6443
B2R`	6432
B3R`	6397
B4R`	6362
B5R`	6305
B6R`	6183
B7R`	6120
B8R`	5959
C1R`	6565
D1R`	6704
C2R`	6524
D2R`	6657
C3R`	6478
D3R`	6605
C4R`	6455
D4R`	6561
C5R`	6354
C6R`	6214
C7R`	6140
F1R`	6838
F2R`	6609
F3R`	6399
F4R`	6375
F5R`	6332
F6R`	6206
F7R`	6089
F8R`	6129
F9R`	6071
F10R`	6072
F11R`	6106
F12R`	6218

S2R`	5898
S1R`	5859
`	0

Line lengths for ION7 - S

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	473.1
A2	PPSL191-RD	480.2
A3	PPSL191-RD	371.2
AG1	ED8kU-90DD-RD	162.8
AG2	ED8kU-90DD-RD	159.8
AG3	ED8kU-90DD-RD	150.2
AG4	ED8kU-90DD-RD	148.7
AG5	ED8kU-70DD-RD	250.2
AG6	ED8kU-70DD-RD	235.8
AG7	ED8kU-70DD-RD	227.7
B1	PPSL191-YW	467.5
B2	PPSL191-YW	474.7
B3	PPSL191-YW	373.6
BG1	ED8kU-90DD-RD	160
BG2	ED8kU-90DD-RD	159.1
BG3	ED8kU-90DD-RD	148.4
BG4	ED8kU-90DD-RD	144.8
BG5	ED8kU-70DD-RD	240.1
BG6	ED8kU-70DD-RD	227.3
BG7	ED8kU-70DD-RD	220.7
C1	TSL140-BE	479.1
C2	TSL140-BE	484.2
C3	TSL140-BE	380.9
CM1	ED8kU-90DD-RD	94.6
CM2	ED8kU-90DD-RD	91.8
CM3	ED8kU-90DD-RD	85
CM4	ED8kU-90DD-RD	85.1
CG1	ED8kU-70DD-RD	66.4
CG2	ED8kU-70DD-RD	65.2
CG3	ED8kU-70DD-RD	62.4
CG4	ED8kU-70DD-RD	59.9
CG5	ED8kU-70DD-RD	237.7
CG6	ED8kU-70DD-RD	223
CG7	ED8kU-70DD-RD	215.3
DG1	ED8kU-70DD-RD	80.2
DG2	ED8kU-70DD-RD	78.3
DG3	ED8kU-70DD-RD	74.8
DG4	ED8kU-70DD-RD	70.2
F1	DSL70-OE	312.5

F2	DSL70-OE	209.5
FM1	DSL70-OE	118.8
FM2	DSL70-OE	88.7
FM3	DSL70-OE	97.2
FM4	DSL70-OE	82.5
FM5	DSL70-OE	53
FM6	DSL70-OE	60
FMM1	DSL70-OE	92.6
FMM2	DSL70-OE	122.5
FG1	PPSLS65-OE	62.5
FG10	PPSLS65-OE	28.9
FG11	PPSLS65-OE	25.6
FG12	PPSLS65-OE	37.4
FG2	PPSLS65-OE	38.5
FG3	PPSLS65-OE	46.7
FG4	PPSLS65-OE	44.3
FG5	PPSLS65-OE	41.8
FG6	PPSLS65-OE	28.6
FG7	PPSLS65-OE	31
FG8	PPSLS65-OE	35.3
FG9	PPSLS65-OE	28.8
F	ED7850-2400	228
SG1	PPSLS65-GN	93.8
SG2	PPSLS65-GN	97.8
S	DSL70-GN	473.1
SAG1	PPSLS65-GN	103.8
SBG1	PPSLS65-GN	104.3

Full Line lengths for ION7 - S

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	6849
A2R`	6819
A3R`	6794
A4R`	6779
A5R`	6704
A6R`	6561
A7R`	6480
A8R`	6258
B1R`	6764
B2R`	6755
B3R`	6721
B4R`	6685
B5R`	6627
B6R`	6499
B7R`	6433
B8R`	6264
C1R`	6884
D1R`	7021
C2R`	6843
D2R`	6974
C3R`	6798
D3R`	6922
C4R`	6774
D4R`	6877
C5R`	6677
C6R`	6529
C7R`	6452
F1R`	7218
F2R`	6978
F3R`	6759
F4R`	6735
F5R`	6690
F6R`	6558
F7R`	6436
F8R`	6479
F9R`	6419
F10R`	6420
F11R`	6457
F12R`	6574

S2R`	6199
S1R`	6158
`	0

Line lengths for ION7 - M

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	519.9063159605
A2	PPSL191-RD	528.22034514952
A3	PPSL191-RD	410.7340170675
AG1	ED8kU-130DD-RD	176.99273659855
AG2	ED8kU-130DD-RD	174.16757054511
AG3	ED8kU-130DD-RD	163.37215093255
AG4	ED8kU-130DD-RD	161.96625999655
AG5	ED8kU-70DD-RD	272.25361635423
AG6	ED8kU-70DD-RD	256.75564789555
AG7	ED8kU-70DD-RD	248.04884541465
B1	PPSL191-YW	513.61749709753
B2	PPSL191-YW	522.20637492856
B3	PPSL191-YW	412.47388819367
BG1	ED8kU-90DD-RD	173.89573197148
BG2	ED8kU-90DD-RD	173.3745015985
BG3	ED8kU-90DD-RD	161.41240166291
BG4	ED8kU-90DD-RD	157.78746798118
BG5	ED8kU-70DD-RD	261.30912013166
BG6	ED8kU-70DD-RD	247.46719500977
BG7	ED8kU-70DD-RD	240.33609055035
C1	TSL140-BE	525.8871208911
C2	TSL140-BE	532.18853514821
C3	TSL140-BE	420.22273338769
CM1	ED8kU-90DD-RD	102.72805208498
CM2	ED8kU-90DD-RD	100.00543843926
CM3	ED8kU-90DD-RD	92.302297195305
CM4	ED8kU-90DD-RD	92.617413766096
CG1	ED8kU-70DD-RD	72.330671229884
CG2	ED8kU-70DD-RD	71.035082183895
CG3	ED8kU-70DD-RD	67.905342149105
CG4	ED8kU-70DD-RD	65.278810434569
CG5	ED8kU-70DD-RD	258.72423211975
CG6	ED8kU-70DD-RD	242.70641537693
CG7	ED8kU-70DD-RD	234.34393185685
DG1	ED8kU-70DD-RD	86.907200832243
DG2	ED8kU-70DD-RD	84.894397870761
DG3	ED8kU-70DD-RD	81.038083242457
DG4	ED8kU-70DD-RD	76.031663257085
F1	DSL70-OE	337.81696994427

F2	DSL70-OE	228.53900315176
FM1	DSL70-OE	130.20854375208
FM2	DSL70-OE	89.923751914929
FM3	DSL70-OE	105.68323693242
FM4	DSL70-OE	89.973932763171
FM5	DSL70-OE	57.588564568844
FM6	DSL70-OE	64.304355255462
FMM1	DSL70-OE	100.53987883675
FMM2	DSL70-OE	133.67927957715
FG1	PPSLS65-OE	68.524414117872
FG10	PPSLS65-OE	31.531412018607
FG11	PPSLS65-OE	27.825868700894
FG12	PPSLS65-OE	40.64940976926
FG2	PPSLS65-OE	36.881337431453
FG3	PPSLS65-OE	52.291799391342
FG4	PPSLS65-OE	49.761871635704
FG5	PPSLS65-OE	40.928539765258
FG6	PPSLS65-OE	31.161615582922
FG7	PPSLS65-OE	33.734400090253
FG8	PPSLS65-OE	38.452193708556
FG9	PPSLS65-OE	31.32344893092
F	ED7850-2400	260.60359345749
SG1	PPSLS65-GN	102.03478001186
SG2	PPSLS65-GN	106.32126162879
S	DSL70-GN	520.81464688261
SAG1	PPSLS65-GN	112.93835215856
SBG1	PPSLS65-GN	113.4128574306

Full Line lengths for ION7 - M

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	7160
A2R`	7131
A3R`	7106
A4R`	7092
A5R`	7022
A6R`	6873
A7R`	6788
A8R`	6549
B1R`	7071
B2R`	7064
B3R`	7030
B4R`	6994
B5R`	6934
B6R`	6800
B7R`	6732
B8R`	6554
C1R`	7194
D1R`	7334
C2R`	7154
D2R`	7287
C3R`	7108
D3R`	7235
C4R`	7085
D4R`	7189
C5R`	6984
C6R`	6830
C7R`	6750
F1R`	7587
F2R`	7283
F3R`	7033
F4R`	7008
F5R`	7005
F6R`	6911
F7R`	6784
F8R`	6829
F9R`	6767
F10R`	6769
F11R`	6797
F12R`	6920

S2R`	6486
S1R`	6444
`	0

Line lengths for ION7 - L

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	497
A2	PPSL191-RD	504.7
A3	PPSL191-RD	391.7
AG1	ED8kU-90DD-RD	170
AG2	ED8kU-90DD-RD	167.1
AG3	ED8kU-90DD-RD	156.9
AG4	ED8kU-90DD-RD	155.5
AG5	ED8kU-70DD-RD	261.4
AG6	ED8kU-70DD-RD	246.5
AG7	ED8kU-70DD-RD	238.1
B1	PPSL191-YW	491
B2	PPSL191-YW	499
B3	PPSL191-YW	393.4
BG1	ED8kU-90DD-RD	167.1
BG2	ED8kU-90DD-RD	166.4
BG3	ED8kU-90DD-RD	155
BG4	ED8kU-90DD-RD	151.4
BG5	ED8kU-70DD-RD	250.9
BG6	ED8kU-70DD-RD	237.6
BG7	ED8kU-70DD-RD	230.7
C1	TSL140-BE	503
C2	TSL140-BE	508.7
C3	TSL140-BE	401
CM1	ED8kU-90DD-RD	98.8
CM2	ED8kU-90DD-RD	96
CM3	ED8kU-90DD-RD	88.7
CM4	ED8kU-90DD-RD	88.9
CG1	ED8kU-70DD-RD	69.4
CG2	ED8kU-70DD-RD	68.2
CG3	ED8kU-70DD-RD	65.2
CG4	ED8kU-70DD-RD	62.7
CG5	ED8kU-70DD-RD	248.4
CG6	ED8kU-70DD-RD	233
CG7	ED8kU-70DD-RD	225
DG1	ED8kU-70DD-RD	83.5
DG2	ED8kU-70DD-RD	81.5
DG3	ED8kU-70DD-RD	77.8
DG4	ED8kU-70DD-RD	73
F1	DSL70-OE	324.4

F2	DSL70-OE	219.2
FM1	DSL70-OE	125.1
FM2	DSL70-OE	86.3
FM3	DSL70-OE	101.5
FM4	DSL70-OE	86.3
FM5	DSL70-OE	55.3
FM6	DSL70-OE	61.7
FMM1	DSL70-OE	96.6
FMM2	DSL70-OE	128.2
FG1	PPSLS65-OE	65.3
FG10	PPSLS65-OE	30.3
FG11	PPSLS65-OE	26.7
FG12	PPSLS65-OE	39
FG2	PPSLS65-OE	34.9
FG3	PPSLS65-OE	48.8
FG4	PPSLS65-OE	46.3
FG5	PPSLS65-OE	39.3
FG6	PPSLS65-OE	29.9
FG7	PPSLS65-OE	32.4
FG8	PPSLS65-OE	36.9
FG9	PPSLS65-OE	30.1
F	ED7850-2400	243.8
SG1	PPSLS65-GN	98
SG2	PPSLS65-GN	102.1
S	DSL70-GN	497.4
SAG1	PPSLS65-GN	108.4
SBG1	PPSLS65-GN	108.9

Full Line lengths for ION7 - L

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	7160
A2R`	7131
A3R`	7106
A4R`	7092
A5R`	7022
A6R`	6873
A7R`	6788
A8R`	6549
B1R`	7071
B2R`	7064
B3R`	7030
B4R`	6994
B5R`	6934
B6R`	6800
B7R`	6732
B8R`	6554
C1R`	7194
D1R`	7334
C2R`	7154
D2R`	7287
C3R`	7108
D3R`	7235
C4R`	7085
D4R`	7189
C5R`	6984
C6R`	6830
C7R`	6750
F1R`	7587
F2R`	7283
F3R`	7033
F4R`	7008
F5R`	7005
F6R`	6911
F7R`	6784
F8R`	6829
F9R`	6767
F10R`	6769
F11R`	6797
F12R`	6920

S2R`	6486
S1R`	6444
`	0