



ION 7 LIGHT

Table of contents

Line plan for ION 7 LIGHT

Line lengths for ION 7 LIGHT- XXXS

Full Line lengths for ION 7 LIGHT- XXXS

Line lengths for ION 7 LIGHT- XXS

Full Line lengths for ION 7 LIGHT- XXS

Line lengths for ION 7 LIGHT- XS

Full Line lengths for ION 7 LIGHT- XS

Line lengths for ION 7 LIGHT- S


Full Line lengths for ION 7 LIGHT- S

Line lengths for ION 7 LIGHT- M

Full Line lengths for ION 7 LIGHT- M

Line lengths for ION 7 LIGHT- L

Full Line lengths for ION 7 LIGHT- L



Line lengths for ION7LIGHT - XXXS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	401.1
A2	PPSL191-RD	406.1
A3	PPSL191-RD	311.9
AG1	ED8kU-90DD-RD	140.7
AG2	ED8kU-90DD-RD	137.5
AG3	ED8kU-90DD-RD	129.8
AG4	ED8kU-90DD-RD	128.1
AG5	ED8kU-70DD-RD	215.9
AG6	ED8kU-70DD-RD	203.3
AG7	ED8kU-70DD-RD	196.1
B1	PPSL191-YW	396.5
B2	PPSL191-YW	401.7
B3	PPSL191-YW	313.6
BG1	ED8kU-90DD-RD	138.7
BG2	ED8kU-90DD-RD	137.2
BG3	ED8kU-90DD-RD	128.7
BG4	ED8kU-90DD-RD	125
BG5	ED8kU-70DD-RD	207.9
BG6	ED8kU-70DD-RD	196.5
BG7	ED8kU-70DD-RD	190.5
C1	TSL140-BE	406.8
C2	TSL140-BE	409.7
C3	TSL140-BE	319.2
CM1	ED8kU-90DD-RD	82
CM2	ED8kU-90DD-RD	78.9
CM3	ED8kU-90DD-RD	73.8
CM4	ED8kU-90DD-RD	73.5
CG1	ED8kU-70DD-RD	57.8
CG2	ED8kU-70DD-RD	56.7
CG3	ED8kU-70DD-RD	54.1
CG4	ED8kU-70DD-RD	51.9
CG5	ED8kU-70DD-RD	205.9
CG6	ED8kU-70DD-RD	192.7
CG7	ED8kU-70DD-RD	185.8
DG1	ED8kU-70DD-RD	69.3
DG2	ED8kU-70DD-RD	67.7
DG3	ED8kU-70DD-RD	64.6
DG4	ED8kU-70DD-RD	60.6
F1	DSL70-OE	270.5

F2	DSL70-OE	180.4
FM1	DSL70-OE	102.6
FM2	DSL70-GN	70.7
FM3	DSL70-OE	84
FM4	DSL70-OE	70.7
FM5	DSL70-OE	46
FM6	DSL70-OE	50.6
FMM1	DSL70-OE	80.4
FMM2	DSL70-OE	105
FG1	PPSLS65-OE	53.9
FG10	PPSLS65-OE	19.5
FG11	PPSLS65-OE	16.2
FG12	PPSLS65-OE	27.9
FG2	PPSLS65-OE	28.7
FG3	PPSLS65-OE	38.1
FG4	PPSLS65-OE	35.7
FG5	PPSLS65-OE	32.5
FG6	PPSLS65-OE	19.5
FG7	PPSLS65-OE	21.5
FG8	PPSLS65-OE	25.8
FG9	PPSLS65-OE	19.3
F	ED7850-2400	191.5
SG1	PPSLS65-GN	80.8
SG2	PPSLS65-GN	84.9
S	DSL70-GN	400
SAG1	PPSLS65-GN	89.5
SBG1	PPSLS65-GN	90.5

Full Line lengths for ION7 LIGHT - XXXS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	5907
A2R`	5875
A3R`	5848
A4R`	5831
A5R`	5767
A6R`	5642
A7R`	5569
A8R`	5385
B1R`	5842
B2R`	5826
B3R`	5793
B4R`	5756
B5R`	5704
B6R`	5590
B7R`	5530
B8R`	5395
C1R`	5946
D1R`	6061
C2R`	5904
D2R`	6014
C3R`	5857
D3R`	5962
C4R`	5832
D4R`	5919
C5R`	5740
C6R`	5609
C7R`	5539
F1R`	6183
F2R`	5931
F3R`	5707
F4R`	5684
F5R`	5685
F6R`	5555
F7R`	5443
F8R`	5486
F9R`	5420
F10R`	5423
F11R`	5436
F12R`	5552

S2R`	5339
S1R`	5298
`	0

Line lengths for ION7 LIGHT - XXS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	423.7
A2	PPSL191-RD	429.6
A3	PPSL191-RD	331.2
AG1	ED8kU-90DD-RD	147.8
AG2	ED8kU-90DD-RD	144.8
AG3	ED8kU-90DD-RD	136.4
AG4	ED8kU-90DD-RD	134.8
AG5	ED8kU-70DD-RD	227
AG6	ED8kU-70DD-RD	213.9
AG7	ED8kU-70DD-RD	206.4
B1	PPSL191-YW	419
B2	PPSL191-YW	424.9
B3	PPSL191-YW	332.7
BG1	ED8kU-90DD-RD	145.4
BG2	ED8kU-90DD-RD	144.1
BG3	ED8kU-90DD-RD	134.7
BG4	ED8kU-90DD-RD	131.2
BG5	ED8kU-70DD-RD	217.9
BG6	ED8kU-70DD-RD	206.2
BG7	ED8kU-70DD-RD	200.2
C1	TSL140-BE	430.1
C2	TSL140-BE	433.9
C3	TSL140-BE	339.7
CM1	ED8kU-90DD-RD	86.1
CM2	ED8kU-90DD-RD	83.1
CM3	ED8kU-90DD-RD	77.3
CM4	ED8kU-90DD-RD	77.2
CG1	ED8kU-70DD-RD	60.2
CG2	ED8kU-70DD-RD	59.1
CG3	ED8kU-70DD-RD	56.5
CG4	ED8kU-70DD-RD	54.3
CG5	ED8kU-70DD-RD	215.7
CG6	ED8kU-70DD-RD	202.3
CG7	ED8kU-70DD-RD	195.2
DG1	ED8kU-70DD-RD	72.8
DG2	ED8kU-70DD-RD	71.1
DG3	ED8kU-70DD-RD	67.9
DG4	ED8kU-70DD-RD	63.7
F1	DSL70-OE	279.8

F2	DSL70-OE	189.6
FM1	DSL70-OE	101.6
FM2	DSL70-OE	80.2
FM3	DSL70-OE	88.2
FM4	DSL70-OE	74.7
FM5	DSL70-OE	48.2
FM6	DSL70-OE	54.3
FMM1	DSL70-OE	84.2
FMM2	DSL70-OE	110.8
FG1	PPSLS65-OE	56.7
FG10	PPSLS65-OE	26.2
FG11	PPSLS65-OE	23.3
FG12	PPSLS65-OE	33.9
FG2	PPSLS65-OE	34.9
FG3	PPSLS65-OE	42.4
FG4	PPSLS65-OE	40.1
FG5	PPSLS65-OE	37.9
FG6	PPSLS65-OE	25.9
FG7	PPSLS65-OE	28.2
FG8	PPSLS65-OE	32
FG9	PPSLS65-OE	26.2
F	ED7850-2400	207.2
SG1	PPSLS65-GN	85.1
SG2	PPSLS65-GN	88.8
S	DSL70-GN	423
SAG1	PPSLS65-GN	94.1
SBG1	PPSLS65-GN	94.7

Full Line lengths for ION7 LIGHT - XXS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	6205
A2R`	6174
A3R`	6149
A4R`	6134
A5R`	6072
A6R`	5941
A7R`	5866
A8R`	5661
B1R`	6134
B2R`	6121
B3R`	6086
B4R`	6051
B5R`	5996
B6R`	5879
B7R`	5819
B8R`	5667
C1R`	6246
D1R`	6372
C2R`	6205
D2R`	6325
C3R`	6160
D3R`	6273
C4R`	6136
D4R`	6230
C5R`	6044
C6R`	5910
C7R`	5840
F1R`	6453
F2R`	6235
F3R`	6097
F4R`	6074
F5R`	6071
F6R`	5951
F7R`	5838
F8R`	5877
F9R`	5820
F10R`	5821
F11R`	5853
F12R`	5959

S2R`	5608
S1R`	5571
`	0

Line lengths for ION7LIGHT - XS

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	448.1
A2	PPSL191-RD	454.6
A3	PPSL191-RD	351.2
AG1	ED8kU-90DD-RD	155.2
AG2	ED8kU-90DD-RD	152.1
AG3	ED8kU-90DD-RD	143.1
AG4	ED8kU-90DD-RD	141.6
AG5	ED8kU-70DD-RD	238.4
AG6	ED8kU-70DD-RD	224.6
AG7	ED8kU-70DD-RD	216.9
B1	PPSL191-YW	442.8
B2	PPSL191-YW	449.3
B3	PPSL191-YW	352.8
BG1	ED8kU-90DD-RD	152.5
BG2	ED8kU-90DD-RD	151.4
BG3	ED8kU-90DD-RD	141.4
BG4	ED8kU-90DD-RD	137.9
BG5	ED8kU-70DD-RD	228.8
BG6	ED8kU-70DD-RD	216.6
BG7	ED8kU-70DD-RD	210.2
C1	TSL140-GN	454.1
C2	TSL140-GN	458.6
C3	TSL140-GN	357.1
CM1	ED8kU-90DD-RD	90.9
CM2	ED8kU-90DD-RD	88
CM3	ED8kU-90DD-RD	81.7
CM4	ED8kU-90DD-RD	81.6
CG1	ED8kU-70DD-RD	63.3
CG2	ED8kU-70DD-RD	62.1
CG3	ED8kU-70DD-RD	59.4
CG4	ED8kU-70DD-RD	57.1
CG5	ED8kU-70DD-RD	226.5
CG6	ED8kU-70DD-RD	212.4
CG7	ED8kU-70DD-RD	205.1
DG1	ED8kU-70DD-RD	77.2
DG2	ED8kU-70DD-RD	75.5
DG3	ED8kU-70DD-RD	72.1
DG4	ED8kU-70DD-RD	67.7
F1	DSL70-OE	297.9

F2	DSL70-OE	199.4
FM1	DSL70-OE	113.2
FM2	PPSLS65-OE	84.4
FM3	DSL70-OE	92.6
FM4	DSL70-OE	78.5
FM5	DSL70-OE	50.6
FM6	DSL70-OE	57.1
FMM1	DSL70-OE	88.3
FMM2	DSL70-OE	116.6
FG1	PPSLS65-OE	59.6
FG10	PPSLS65-OE	27.6
FG11	PPSLS65-OE	24.4
FG12	PPSLS65-OE	35.6
FG2	PPSLS65-OE	36.6
FG3	PPSLS65-OE	44.5
FG4	PPSLS65-OE	42.2
FG5	PPSLS65-OE	39.8
FG6	PPSLS65-OE	27.2
FG7	PPSLS65-OE	29.6
FG8	PPSLS65-OE	33.6
FG9	PPSLS65-OE	27.5
F	ED7850-2400	184.1
SG1	PPSLS65-GN	89.3
SG2	PPSLS65-GN	93.2
S	DSL70-GN	447.5
SAG1	PPSLS65-GN	98.8
SBG1	PPSLS65-GN	99.4

Full Line lengths for ION7 LIGHT - XS

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	6522
A2R`	6492
A3R`	6467
A4R`	6452
A5R`	6385
A6R`	6248
A7R`	6171
A8R`	5954
B1R`	6443
B2R`	6432
B3R`	6397
B4R`	6362
B5R`	6305
B6R`	6183
B7R`	6120
B8R`	5959
C1R`	6565
D1R`	6704
C2R`	6524
D2R`	6657
C3R`	6478
D3R`	6605
C4R`	6455
D4R`	6561
C5R`	6354
C6R`	6214
C7R`	6140
F1R`	6838
F2R`	6609
F3R`	6399
F4R`	6375
F5R`	6332
F6R`	6206
F7R`	6089
F8R`	6129
F9R`	6071
F10R`	6072
F11R`	6106
F12R`	6218

S2R`	5898
S1R`	5859
`	0

Line lengths for ION7LIGHT - S

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	473.1
A2	PPSL191-RD	480.2
A3	PPSL191-RD	371.2
AG1	ED8kU-90DD-RD	162.8
AG2	ED8kU-90DD-RD	159.8
AG3	ED8kU-90DD-RD	150.2
AG4	ED8kU-90DD-RD	148.7
AG5	ED8kU-70DD-RD	250.2
AG6	ED8kU-70DD-RD	235.8
AG7	ED8kU-70DD-RD	227.7
B1	PPSL191-YW	467.5
B2	PPSL191-YW	474.7
B3	PPSL191-YW	373.6
BG1	ED8kU-90DD-RD	160
BG2	ED8kU-90DD-RD	159.1
BG3	ED8kU-90DD-RD	148.4
BG4	ED8kU-90DD-RD	144.8
BG5	ED8kU-70DD-RD	240.1
BG6	ED8kU-70DD-RD	227.3
BG7	ED8kU-70DD-RD	220.7
C1	TSL140-BE	479.1
C2	TSL140-BE	484.2
C3	TSL140-BE	380.9
CM1	ED8kU-90DD-RD	94.6
CM2	ED8kU-90DD-RD	91.8
CM3	ED8kU-90DD-RD	85
CM4	ED8kU-90DD-RD	85.1
CG1	ED8kU-70DD-RD	66.4
CG2	ED8kU-70DD-RD	65.2
CG3	ED8kU-70DD-RD	62.4
CG4	ED8kU-70DD-RD	59.9
CG5	ED8kU-70DD-RD	237.7
CG6	ED8kU-70DD-RD	223
CG7	ED8kU-70DD-RD	215.3
DG1	ED8kU-70DD-RD	80.2
DG2	ED8kU-70DD-RD	78.3
DG3	ED8kU-70DD-RD	74.8
DG4	ED8kU-70DD-RD	70.2
F1	DSL70-OE	312.5

F2	DSL70-OE	209.5
FM1	DSL70-OE	118.8
FM2	DSL70-OE	88.7
FM3	DSL70-OE	97.2
FM4	DSL70-OE	82.5
FM5	DSL70-OE	53
FM6	DSL70-OE	60
FMM1	DSL70-OE	92.6
FMM2	DSL70-OE	122.5
FG1	PPSLS65-OE	62.5
FG10	PPSLS65-OE	28.9
FG11	PPSLS65-OE	25.6
FG12	PPSLS65-OE	37.4
FG2	PPSLS65-OE	38.5
FG3	PPSLS65-OE	46.7
FG4	PPSLS65-OE	44.3
FG5	PPSLS65-OE	41.8
FG6	PPSLS65-OE	28.6
FG7	PPSLS65-OE	31
FG8	PPSLS65-OE	35.3
FG9	PPSLS65-OE	28.8
F	ED7850-2400	228
SG1	PPSLS65-GN	93.8
SG2	PPSLS65-GN	97.8
S	DSL70-GN	473.1
SAG1	PPSLS65-GN	103.8
SBG1	PPSLS65-GN	104.3

Full Line lengths for ION7LIGHT - S

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	6849
A2R`	6819
A3R`	6794
A4R`	6779
A5R`	6704
A6R`	6561
A7R`	6480
A8R`	6258
B1R`	6764
B2R`	6755
B3R`	6721
B4R`	6685
B5R`	6627
B6R`	6499
B7R`	6433
B8R`	6264
C1R`	6884
D1R`	7021
C2R`	6843
D2R`	6974
C3R`	6798
D3R`	6922
C4R`	6774
D4R`	6877
C5R`	6677
C6R`	6529
C7R`	6452
F1R`	7218
F2R`	6978
F3R`	6759
F4R`	6735
F5R`	6690
F6R`	6558
F7R`	6436
F8R`	6479
F9R`	6419
F10R`	6420
F11R`	6457
F12R`	6574

S2R`	6199
S1R`	6158
`	0

Line lengths for ION7 LIGHT - M

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL191-RD	497
A2	PPSL191-RD	504.7
A3	PPSL191-RD	391.7
AG1	ED8kU-90DD-RD	170
AG2	ED8kU-90DD-RD	167.1
AG3	ED8kU-90DD-RD	156.9
AG4	ED8kU-90DD-RD	155.5
AG5	ED8kU-70DD-RD	261.4
AG6	ED8kU-70DD-RD	246.5
AG7	ED8kU-70DD-RD	238.1
B1	PPSL191-YW	491
B2	PPSL191-YW	499
B3	PPSL191-YW	393.4
BG1	ED8kU-90DD-RD	167.1
BG2	ED8kU-90DD-RD	166.4
BG3	ED8kU-90DD-RD	155
BG4	ED8kU-90DD-RD	151.4
BG5	ED8kU-70DD-RD	250.9
BG6	ED8kU-70DD-RD	237.6
BG7	ED8kU-70DD-RD	230.7
C1	TSL140-BE	503
C2	TSL140-BE	508.7
C3	TSL140-BE	401
CM1	ED8kU-90DD-RD	98.8
CM2	ED8kU-90DD-RD	96
CM3	ED8kU-90DD-RD	88.7
CM4	ED8kU-90DD-RD	88.9
CG1	ED8kU-70DD-RD	69.4
CG2	ED8kU-70DD-RD	68.2
CG3	ED8kU-70DD-RD	65.2
CG4	ED8kU-70DD-RD	62.7
CG5	ED8kU-70DD-RD	248.4
CG6	ED8kU-70DD-RD	233
CG7	ED8kU-70DD-RD	225
DG1	ED8kU-70DD-RD	83.5
DG2	ED8kU-70DD-RD	81.5
DG3	ED8kU-70DD-RD	77.8
DG4	ED8kU-70DD-RD	73
F1	DSL70-OE	324.4

F2	DSL70-OE	219.2
FM1	DSL70-OE	125.1
FM2	DSL70-OE	86.3
FM3	DSL70-OE	101.5
FM4	DSL70-OE	86.3
FM5	DSL70-OE	55.3
FM6	DSL70-OE	61.7
FMM1	DSL70-OE	96.6
FMM2	DSL70-OE	128.2
FG1	PPSLS65-OE	65.3
FG10	PPSLS65-OE	30.3
FG11	PPSLS65-OE	26.7
FG12	PPSLS65-OE	39
FG2	PPSLS65-OE	34.9
FG3	PPSLS65-OE	48.8
FG4	PPSLS65-OE	46.3
FG5	PPSLS65-OE	39.3
FG6	PPSLS65-OE	29.9
FG7	PPSLS65-OE	32.4
FG8	PPSLS65-OE	36.9
FG9	PPSLS65-OE	30.1
F	ED7850-2400	243.8
SG1	PPSLS65-GN	98
SG2	PPSLS65-GN	102.1
S	DSL70-GN	497.4
SAG1	PPSLS65-GN	108.4
SBG1	PPSLS65-GN	108.9

Full Line lengths for ION7LIGHT - M

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	7160
A2R`	7131
A3R`	7106
A4R`	7092
A5R`	7022
A6R`	6873
A7R`	6788
A8R`	6549
B1R`	7071
B2R`	7064
B3R`	7030
B4R`	6994
B5R`	6934
B6R`	6800
B7R`	6732
B8R`	6554
C1R`	7194
D1R`	7334
C2R`	7154
D2R`	7287
C3R`	7108
D3R`	7235
C4R`	7085
D4R`	7189
C5R`	6984
C6R`	6830
C7R`	6750
F1R`	7587
F2R`	7283
F3R`	7033
F4R`	7008
F5R`	7005
F6R`	6911
F7R`	6784
F8R`	6829
F9R`	6767
F10R`	6769
F11R`	6797
F12R`	6920

S2R`	6486
S1R`	6444
`	0

Line lengths for ION7 LIGHT - L

See also: docs.nova.eu for a searchable online database

Position	Material	Length (cm)
A1	PPSL160M-RD	519.9
A2	PPSL160-RD	528.2
A3	PPSL160-RD	410.7
AG1	ED8kU-130DD-RD	177
AG2	ED8kU-130DD-RD	174.2
AG3	ED8kU-130DD-RD	163.4
AG4	ED8kU-130DD-RD	162
AG5	ED8kU-70DD-RD	272.3
AG6	ED8kU-70DD-RD	256.8
AG7	ED8kU-70DD-RD	248
B1	PPSL160-YW	513.6
B2	PPSL160-YW	522.2
B3	PPSL160-YW	412.5
BG1	ED8kU-90DD-RD	173.9
BG2	ED8kU-90DD-RD	173.4
BG3	ED8kU-90DD-RD	161.4
BG4	ED8kU-90DD-RD	157.8
BG5	ED8kU-70DD-RD	261.3
BG6	ED8kU-70DD-RD	247.5
BG7	ED8kU-70DD-RD	240.3
C1	TSL140-BE	525.9
C2	TSL140-BE	532.2
C3	TSL140-BE	420.2
CM1	ED8kU-90DD-RD	102.7
CM2	ED8kU-90DD-RD	100
CM3	ED8kU-90DD-RD	92.3
CM4	ED8kU-90DD-RD	92.6
CG1	ED8kU-70DD-RD	72.3
CG2	ED8kU-70DD-RD	71
CG3	ED8kU-70DD-RD	67.9
CG4	ED8kU-70DD-RD	65.3
CG5	ED8kU-70DD-RD	258.7
CG6	ED8kU-70DD-RD	242.7
CG7	ED8kU-70DD-RD	234.3
DG1	ED8kU-70DD-RD	86.9
DG2	ED8kU-70DD-RD	84.9
DG3	ED8kU-70DD-RD	81
DG4	ED8kU-70DD-RD	76
F1	DSL70-OE	337.8

F2	DSL70-OE	228.5
FM1	DSL70-OE	130.2
FM2	DSL70-OE	89.9
FM3	DSL70-OE	105.7
FM4	DSL70-OE	90
FM5	DSL70-OE	57.6
FM6	DSL70-OE	64.3
FMM1	DSL70-OE	100.5
FMM2	DSL70-OE	133.7
FG1	PPSLS65-OE	68.5
FG10	PPSLS65-OE	31.5
FG11	PPSLS65-OE	27.8
FG12	PPSLS65-OE	40.6
FG2	PPSLS65-OE	36.9
FG3	PPSLS65-OE	52.3
FG4	PPSLS65-OE	49.8
FG5	PPSLS65-OE	40.9
FG6	PPSLS65-OE	31.2
FG7	PPSLS65-OE	33.7
FG8	PPSLS65-OE	38.5
FG9	PPSLS65-OE	31.3
F	ED7850-2400	255.6
SG1	PPSLS65-GN	102
SG2	PPSLS65-GN	106.3
S	DSL70-GN	520.8
SAG1	PPSLS65-GN	112.9
SBG1	PPSLS65-GN	113.4

Full Line lengths for ION7 LIGHT - L

See also: docs.nova.eu for a searchable online database

Position	Length (mm)
A1R`	7469
A2R`	7441
A3R`	7416
A4R`	7402
A5R`	7330
A6R`	7175
A7R`	7088
A8R`	6837
B1R`	7375
B2R`	7370
B3R`	7336
B4R`	7300
B5R`	7238
B6R`	7099
B7R`	7028
B8R`	6842
C1R`	7501
D1R`	7647
C2R`	7461
D2R`	7600
C3R`	7416
D3R`	7547
C4R`	7393
D4R`	7500
C5R`	7289
C6R`	7129
C7R`	7046
F1R`	7931
F2R`	7615
F3R`	7366
F4R`	7341
F5R`	7323
F6R`	7225
F7R`	7094
F8R`	7141
F9R`	7077
F10R`	7079
F11R`	7109
F12R`	7238

S2R`	6771
S1R`	6728
`	0